


Bacteria in the nose may increase risk of Alzheimer's disease



Schematics illustrating the process for quantifying the amount of viable infectious C. pneumoniae present in various mouse tissues. (A) Mice were first intranasally inoculated with C. pneumoniae (i), some with epithelial injury and some without. Following either 24 h, 3 days or 7 days or 28 days post inoculation, selected tissues were collected and homogenized in tubes (ii). Homogenates were serially diluted onto HEp-2 cells and incubated (iii). Cells



were fixed and immunolabelled for C. pneumoniae inclusions, which were counted and the number of inclusion-forming units (IFUs) per mL of homogenate was determined. Data were then compiled into organ (tissue) load graphs (see Fig. 2). (B) Microscopic image showing a sagittal tissue section of a mouse brain. Cell nuclei/DNA are shown in blue (DAPI stain). Key anatomical locations include the nasal cavity (NC), olfactory epithelium (OE), olfactory bulb (OB), trigeminal nerve (Tg; not visible so approximate location is shown by white dotted line) and the brain. Scale bar in µm. Credit: DOI: 10.1038/s41598-022-06749-9

New research from Griffith University has shown that a bacterium commonly present in the nose can sneak into the brain and set off a cascade of events that may lead to Alzheimer's disease.

Associate Professor Jenny Ekberg and colleagues from the Clem Jones Centre for Neurobiology and Stem Cell Research at Menzies Health Institute Queensland and Griffith Institute for Drug Discovery, in collaboration with Queensland University of Technology, have discovered that the bacterium Chlamydia pneumoniae can invade the brain via the nerves of the nasal cavity.

While this bacterium often causes respiratory tract infections, it has also been found in the brain which has raised the question of whether it causes damage to the central nervous system.

The research team has performed extensive research in animal models to show not only how the bacteria gets into the brain, but also how it leads to Alzheimer disease pathologies.

"Our work has previously shown that that several different species of bacteria can rapidly, within 24 hours, enter the central nervous system via <u>peripheral nerves</u> extending between the nasal cavity and the brain,"



Associate Professor Ekberg said.

"With this <u>background knowledge</u> we were able to track how this new bacterium, Chlamydia pneumoniae can also sneak past the blood-brain barrier and quickly enter the brain."

The new study shows that once the bacteria are in the central nervous system, the <u>cells</u> of the brain react within days by depositing beta amyloid peptide, which is the hallmark plaque of Alzheimer's disease.

After several weeks, numerous gene pathways that are known to be involved in Alzheimer's disease are also dramatically activated.

The research also showed that when the bacteria invade the olfactory nerve, peripheral <u>nerve</u> cells (<u>glial cells</u>), become infected and these cells may be how the bacteria can persist within the nervous system.

"These cells are usually important defenders against bacteria, but in this case, they become infected and can help the bacteria to spread,"' Associate Professor Ekberg said.

"We have suspected for a long time that bacteria, and even viruses, can lead to neuroinflammation and contribute to initiation of Alzheimer's disease, however, the bacteria alone may not be enough to cause disease in someone. Perhaps it requires the combination of a genetic susceptibility plus the bacteria to lead to Alzheimer's disease in the long term.

"Now that we have this new evidence, it gives us the drive to urgently find treatments to stop this contributing factor to Alzheimer's disease.

While the studies were conducted in mice, humans have the same nerves and can be infected by the same bacteria, so the researchers believe the



results are translatable to humans.

"We are already working on treatment options. With the Griffith Institute for Drug Discovery, we are identifying potential drugs that can help the glial cells to destroy the <u>bacteria</u> which are already in the brain.

"In addition, Professor Ken Beagley at QUT is working on a vaccine against Chlamydia which may reduce the ability of the pathogen to enter the brain."

More information: Anu Chacko et al, Chlamydia pneumoniae can infect the central nervous system via the olfactory and trigeminal nerves and contributes to Alzheimer's disease risk, *Scientific Reports* (2022). DOI: 10.1038/s41598-022-06749-9. www.nature.com/articles/s41598-022-06749-9

Provided by Griffith University

Citation: Bacteria in the nose may increase risk of Alzheimer's disease (2022, February 17) retrieved 16 February 2023 from <u>https://medicalxpress.com/news/2022-02-bacteria-nose-alzheimer-disease.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.