


Deep learning poised to improve breast cancer imaging

24 February 2022



Researchers developed the Z-Net deep-learning algorithm for real-time reconstruction of images that combine spectral and MRI data. This could allow better breast cancer screening and diagnosis. Credit: Keith Paulsen, Dartmouth College

Researchers have developed a new image reconstruction approach that could contribute to better breast cancer detection. The deep learning algorithm overcomes a major hurdle in multi-modality imaging by allowing images to be recovered in real time.

In *Optica* journal, the researchers described the new [algorithm](#), known as Z-Net, and how it works with an imaging platform that combines optical spectral information with contrast-free magnetic resonance imaging (MRI) to improve detection of [breast](#) cancer.

"The near infrared spectral tomography (NIRST) and MRI imaging platform we developed has shown promise, but the time and effort involved in [image reconstruction](#) has prevented it from being translated into the day-to-day clinical workflow," said Keith Paulsen, who led the research team from Dartmouth College. "Thus, we designed a [deep-learning algorithm](#) that incorporates anatomical image data from MRI to guide NIRST

image formation without requiring complex modeling of light propagation in tissue."

Paulsen and colleagues from the Beijing University of Technology and the University of Birmingham report that their new algorithm can distinguish between malignant and [benign tumors](#) using MRI-guided NIRST imaging data from patient breast exams.

"Z-Net could allow NIRST to become an efficient and effective add-on to non-contrast MRI for breast cancer screening and diagnosis because it allows MRI-guided NIRST images to be recovered in nearly real time," said Paulsen. "It can also be readily adapted for use with other cancers and diseases for which multi-modality imaging data are available."

Applying deep learning

Today, dynamic contrast-enhanced (DCE) MRI is recognized as the most sensitive breast cancer detection method. However, DCE MRI requires intravenous injection of a contrast agent and has a substantial false positive rate. Although non-contrast MRI-guided NIRST offers an alternative that doesn't require contrast injection or ionizing radiation, reconstructing the combined images requires complicated light propagation models as well as time consuming MRI image analysis.

The researchers used [deep learning](#) to make the image reconstruction process faster. Deep learning is a machine learning approach that creates connections among pieces of information in a way that is similar to how human brains operate, allowing the researchers to train their algorithm to recognize patterns and complex relationships.

"The Z-Net algorithm reduces the time needed to generate a new image to a few seconds," said Jinchao Feng, the study's lead author. "Moreover, the machine learning network we developed can be

trained with data generated by computer simulations rather than needing images from actual patient exams, which take a long time to collect and process into training information."

Clinical tests

After training the algorithm, the researchers used simulated data to confirm that the quality of the reconstructed images was not degraded by eliminating diffuse light propagation modeling or by not segmenting MRI images.

They then applied the new algorithm prospectively to MRI-guided NIRST data collected from two breast imaging exams—one leading to a biopsy-confirmed cancer diagnosis, the other resulting in a benign abnormality. The [new algorithm](#) generated [images](#) that could tell the difference between the malignant and benign cases.

"In addition to showing the potential of our approach, the results also demonstrate that when in vivo data is insufficient or unavailable for training a [deep learning algorithm](#), a large amount of simulation data may work," said Shudong Jiang, a study co-author and pioneer in developing simultaneous MRI and optical breast imaging technology.

The researchers are working to adapt the new image reconstruction method to work with 3D data and plan to test it in a larger clinical trial in the near future.

More information: Jinchao Feng et al, Deep Learning based Reconstruction of MRI Guided Near Infrared Spec-tral Tomography Avoids the Limitations of Forward Diffuse Modeling, *Optica* (2022). [DOI: 10.1364/OPTICA.446576](https://doi.org/10.1364/OPTICA.446576)

Provided by The Optical Society

APA citation: Deep learning poised to improve breast cancer imaging (2022, February 24) retrieved 10 September 2022 from <https://medicalxpress.com/news/2022-02-deep-poised-breast-cancer-imaging.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.