

Stroke, heart failure death rates accelerating in some Hispanic adults

April 4 2022, by Laura Williamson, American Heart Association News



Scientists debate whether Hispanic adults, who have higher rates of

certain risk factors for cardiovascular disease, are nonetheless less likely to die from it than their non-Hispanic white peers. It's something researchers call the "Hispanic paradox." But a new study analyzing heart and stroke deaths over two decades suggests it isn't always the case.

The research, published Friday in the *Journal of the American Heart Association*, does show an overall lower death rate from [cardiovascular disease](#) for Hispanic adults. But its deeper analysis showed a growing rate of stroke-related death for Hispanic men and older Hispanic adults. It also found death rates for [heart failure](#) are increasing faster among younger Hispanic adults.

"This [data](#) is very helpful in terms of planning prevention efforts and offering personalized treatment for diverse groups," said lead author Dr. Erin Michos, associate director of preventive medicine and an associate professor of medicine at Johns Hopkins University in Baltimore.

Hispanic adults are one of the fastest-growing segments of the U.S. population. According to the U.S. Census Bureau, they are expected to reach 111 million by 2060. Research shows they also have disproportionately high rates of certain risk factors for cardiovascular disease, such as high blood pressure, high cholesterol and diabetes. Some prior research on the so-called Hispanic paradox suggests they are nonetheless at lower risk for dying from cardiovascular disease than their white peers because of factors such as stronger family and social support.

But, Michos said, "when we took a deeper dive into types of cardiovascular disease, we noticed disparities. Our data do not support the Hispanic paradox."

People of Hispanic ethnicity can be of any race, and Michos and her team analyzed [death certificates](#) in the federal database to compare

Hispanic and non-Hispanic [white people](#) in all 50 states and the District of Columbia from 1999-2018. They looked at 10 different types of cardiovascular disease-related deaths, including [ischemic heart disease](#) (caused by narrowed arteries), heart failure, stroke, hypertensive heart disease (related to chronic [high blood pressure](#)) and other heart-related problems.

The overall death rate from cardiovascular disease was lower for Hispanic than non-Hispanic white adults, at 186.4 deaths per 100,000 people compared to 254.6. Death rates also declined faster among Hispanic adults than their white peers, dropping 2.9% per year compared to 2.4%.

But a closer look at the subtypes of cardiovascular disease told a different story.

Between 1999 and 2011, stroke death rates fell at a slower pace for Hispanic adults, and then began climbing. After 2011, stroke death rates overall increased for Hispanic adults at a rate of 0.79% per year, primarily among men, whereas they flattened for white men and women.

In looking at age, stroke death rates in more recent years rose only among Hispanic adults 65 and older, whereas the uptick among white adults was only in those under 65.

Hispanic adults under 65 also experienced a faster rise in deaths from heart failure. Across all ages, heart failure deaths accelerated faster in Hispanic men versus white men.

Dr. M. Carolina Gongora, a cardiologist at Emory Heart and Vascular Center in Atlanta, said the disproportionate impact on Hispanic men may stem from a greater reluctance to seek [medical care](#).

"Men seek medical care at a lower rate than women, and in Hispanic populations this is seen more frequently," said Gongora, who was not involved in the study. "They don't see a physician as often and don't follow up as well as women."

But in her experience, once Hispanic adults do access the health care system, they do a better job of adhering to prescribed care. That, she said, might help explain why they have better cardiovascular health outcomes overall.

The study did not analyze what caused the disparities in death rates. And because the data came from death certificates, the authors noted they weren't able to further analyze data by individual ethnicities to see how [death rates](#) may differ among Mexican American, Puerto Rican, Cuban or South American adults.

Gongora said breaking down the data by ethnicity is important because of cultural differences, such as eating and exercise patterns, which could affect mortality.

Parsing the data by ethnicity also can be useful in forming more tailored [prevention efforts](#), Michos said.

"If you lump people together and just look at the overall [death](#) rate, which is lower among Hispanic compared to non-Hispanic adults," she said, "it could be misleading and lead to delays in prevention for high-risk Hispanic subgroups and compound the already poor cardiovascular disease risk factors in these populations."

Copyright © 2022 [HealthDay](#). All rights reserved.

Citation: Stroke, heart failure death rates accelerating in some Hispanic adults (2022, April 4) retrieved 1 January 2024 from <https://medicalxpress.com/news/2022-04-heart-failure-death->

[hispanic-adults.html](#)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.