

How MRI could revolutionize heart failure diagnosis

May 5 2022



Credit: Unsplash/CC0 Public Domain

Using MRI scans to detect heart failure could revolutionize how the condition is diagnosed, thanks to new research from the University of East Anglia and the University of Sheffield.

Until now, the best way of diagnosing [heart failure](#) has been an invasive assessment, but it carries risks for patients. Non-invasive echocardiogram, which is based on ultrasound, are usually used instead, but they are wrong in up to 50 per cent of cases.

A new study published today shows how [magnetic resonance](#) imaging (MRI) is superior to Echocardiography for diagnosing heart failure, as well as being a powerful tool to predict [patient outcomes](#), including death.

Lead researcher Dr. Pankaj Garg, from UEA's Norwich Medical School, said: "Heart failure is a dreadful condition resulting from rising pressures inside the heart. The best method to diagnose heart failure is by invasive assessment, which is not preferred as it has risks.

"An echocardiogram, which is an ultrasound of the heart, is usually used to predict the pressure in the heart. However, it is not very accurate.

"We wanted to find out if MRI scans might offer a better alternative."

The research team studied 835 patients who received an invasive assessment and a heart MRI on the same day from the ASPIRE registry—a database of patients assessed at the Sheffield Pulmonary Vascular Disease Unit.

Dr. Garg said: "We investigated if heart MRI can predict invasively measured left ventricular filling pressure.

"Once we had identified the key parameters—left atrial volume and left ventricular mass—we created an equation to non-invasively derive the pressure in the heart.

"This simple equation can be applied in any center around the world

which does heart MRI.

"We also tested the equation in a separate group of patients and demonstrated its reliability.

"We showed that heart MRI is superior to Echocardiography in predicting pressure inside the heart. Almost 71 per cent of patients who had wrongly measured pressures by Echocardiography had correct pressures by heart MRI.

"These findings will reduce the need for invasive assessment. This is not only cost-effective but also reduces risks to patients, as a heart MRI scan is a completely [non-invasive test](#).

"We also showed that the results from heart MRIs were powerful tools to predict whether a patient would live or die.

"This research was not possible without technical expertise at Norwich and Sheffield and also the rich haemodynamic data from the ASPIRE registry," added Dr. Garg.

The study was funded by [research grants](#) from the Wellcome Trust and the National Institute for Health and Care Research (NIHR), the research partner of the NHS, [public health](#) and [social care](#).

Senior author Dr. Andy Swift, the from University of Sheffield and a Consultant Radiologist, said: "This simple diagnostic equation is very clinically useful and will help doctors predict the pressure in the heart and diagnose heart failure"

"Testing the use of the equation at other hospitals is the next step to assess the benefit to patients and the reduced need for invasive tests'

"Cardiac Magnetic Resonance identifies Raised Left Ventricular Filling Pressure: Prognostic Implications" is published in the *European Heart Journal* on May 5, 2022.

More information: Cardiac magnetic resonance identifies raised left ventricular filling pressure: prognostic implications, *European Heart Journal* (2022). [DOI: 10.1093/eurheartj/ehac207](https://doi.org/10.1093/eurheartj/ehac207)

Provided by University of East Anglia

Citation: How MRI could revolutionize heart failure diagnosis (2022, May 5) retrieved 1 March 2023 from <https://medicalxpress.com/news/2022-05-mri-revolutionize-heart-failure-diagnosis.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.