


First worldwide picture of population-based survival from leukemia in patients under 25

June 6 2022



Age-standardized 5-year net survival from all leukemias combined for children (0–14 years), adolescents (15–19 years), and young adults (20–24 years) diagnosed during 2010–14, by continent and country. Survival estimates for each country are ranked from highest to lowest within each continent. High-income

countries within each continent are indicated by the dark shades and low-income and middle-income countries are presented by light shades (classified according to World Bank income group). Where data were available for more than one registry in a given country, the survival estimates are derived by pooling the data for that country, but excluding data from registries for which the estimates are considered less reliable. 95% CIs around the net survival estimate are indicated by the error bars for each country. §National estimate not age-standardized. †Data with 100% coverage of the national population. *Data with 100% coverage of the national population for childhood malignancies only; data for 15–24 years, if available, were provided from registries with subnational coverage. ‡National estimate flagged as less reliable because the only available estimates are from a registry or registries in this category. Credit: *The Lancet Child & Adolescent Health* (2022). DOI: 10.1016/S2352-4642(22)00095-5

Children (0–14 years) diagnosed with leukemia have benefited from decades of research to improve outcomes, and their five-year survival has increased more than that of adolescents (15–19 years) and young adults (20–24 years), suggests new research published in *The Lancet Child and Adolescent Health*.

Cancer in [young people](#) (aged 0–24 years) is rare, but the full extent of the burden is often unknown, especially in [low-income](#) and [middle-income countries](#). Researchers at the London School of Hygiene & Tropical Medicine (LSHTM) and their collaborators in the CONCORD Working Group have estimated worldwide trends in survival from the different types of [leukemia](#) in [children](#), adolescents and [young adults](#).

They analyzed anonymized patient records provided by 258 cancer registries in 61 countries that participated in the third cycle of the CONCORD program. Trends in survival five years after diagnosis were compared using data for 164,563 children, adolescents and young adults who were diagnosed with leukemia during 2000–2014.

For all types of leukemia combined, five-year net survival during 2010–2014 in children ranged from 48% in India to 91% in Puerto Rico, whereas in adolescents, survival ranged from 24% in Colombia to 85% in Denmark, and in young adults, from 20% in Ecuador to 86% in Ireland.

In Europe, survival for all leukemias combined varied widely. Five-year survival for children diagnosed during 2010–2014 was 85% or above in most countries, but was still below 60% in parts of Eastern Europe (Romania 58%). For adolescents, by contrast, survival was above 80% in only a few countries in Northern Europe (Denmark 85%, Lithuania 81%). For young adults, survival also differed widely, from 86% in Ireland to 38% in Estonia. In the U.K., five-year survival for all leukemias combined for 2010–2014 was similar to that in other countries in Northern and Western Europe: 88% in children, 76% in adolescents and 75% in young adults.

Naomi Ssenyonga, first author of the study from LSHTM, said: "Research to improve outcomes for children with cancer has led to higher survival, particularly in high-income countries, where most children with leukemia have been enrolled in long-running series of clinical trials for many years.

"These improvements show the success of research, but huge inequalities in survival still exist for children who live in low-income and middle-income countries. Further, the improvements in survival among adolescents and young adults still lag behind the gains in survival for children, even in high-income countries."

Adolescents and young adults diagnosed with leukemia often have unique clinical needs. Over the past few years, adolescents and young adults with leukemia in some parts of the world have increasingly been treated under pediatric protocols. This has led to higher survival.

However, this approach has not been adopted worldwide, and survival for adolescents and young adults with leukemia is usually lower than survival for children.

Claudia Allemani, Professor of Global Public Health at LSHTM, and the senior study author, said: "The results of this study offer the first worldwide and the most-up-to-date comparisons of population-based survival between children, adolescents and young adults with leukemia. Exploring trends in survival is an important indicator of the overall quality of cancer management in a country's health system. Lasting progress in survival demands investment in the human and [financial resources](#) that are required to manage and treat all young people with cancer more effectively. These investments will eventually translate into better outcomes overall."

The authors acknowledge some limitations, especially the scarcity of data from sub-Saharan Africa. Nevertheless, this study offers the most up-to-date information on world-wide trends in survival for young patients diagnosed with leukemia. The Cancer Survival Group will shortly call for data for CONCORD-4, updating the global surveillance of trends in survival to include patients diagnosed during the period 2000–2019 (or later, where data are available).

More information: Naomi Ssenyonga et al, Worldwide trends in population-based survival for children, adolescents, and young adults diagnosed with leukaemia, by subtype, during 2000–14 (CONCORD-3): analysis of individual data from 258 cancer registries in 61 countries, *The Lancet Child & Adolescent Health* (2022). [DOI: 10.1016/S2352-4642\(22\)00095-5](https://doi.org/10.1016/S2352-4642(22)00095-5)

Provided by London School of Hygiene & Tropical Medicine

Citation: First worldwide picture of population-based survival from leukemia in patients under 25 (2022, June 6) retrieved 4 July 2024 from

<https://medicalxpress.com/news/2022-06-worldwide-picture-population-based-survival-leukemia.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.