


Y chromosome loss through aging can lead to an increased risk of heart failure and death from cardiovascular disease

July 15 2022, by Kenneth Walsh



Credit: Pixabay/CC0 Public Domain

The Y chromosome can be lost through the process of aging, and this can lead to an increased risk of heart failure and cardiovascular disease, according to a recent study my colleagues and I published in the journal <u>Science</u>.



While most women have two X chromosomes, most men have one X and one Y. And many people with Y chromosomes start to lose them in a fraction of the cells in their body as they age.

While loss of the Y chromosome was <u>first observed in 1963</u>, it was not <u>until 2014</u> that researchers found an association between loss of the Y chromosome and shorter life span. Y chromosome loss has since been linked to a number of <u>age-related diseases</u>, such as cancer and Alzheimer's disease. However, it has been unknown whether this loss is just another benign indicator of aging, like gray hair or skin wrinkles, or whether it has a direct role in promoting disease.

My colleagues and I wanted to figure out if Y chromosome loss directly causes disease and, if so, how. Historically, the Y chromosome has been difficult to study because much of its <u>genetic material</u> is repetitive—it's easy to get "lost" trying to decipher the sequence.

However, we were able to take advantage of these repeat sequences by targeting them with the DNA-editing tool <u>CRISPR</u>. We used CRISPR to introduce breaks into the Y chromosome DNA of white blood cells in mice, destroying and eliminating the Y chromosome. We chose white blood cells in particular because they tend to have a <u>high prevalence</u> of Y chromosome loss.

We found that while loss of the Y chromosome did not have immediate effects on the young mice, they ended up aging poorly, dying at an earlier age than mice that still had Y chromosomes. They also had more buildup of scar tissue in the heart, a condition called <u>fibrosis</u>, as well as a stronger decline in heart function after induced heart failure. Treating the mice with a drug that blocks heart scarring, however, was able to restore lost heart function.

We then evaluated the effects of Y chromosome loss in people. We



analyzed data from the <u>U.K. Biobank</u>, a <u>large database</u> of medical and <u>genetic data</u> from 500,000 participants in the U.K. We found that men who had lost their Y chromosomes in over 40% of their <u>white blood</u> <u>cells</u> had a 31% increased risk of dying from cardiovascular disease compared with men who hadn't lost their Y <u>chromosomes</u>, including a two- to threefold increased risk of dying from <u>congestive heart failure</u> or heart disease. In other words, those with the greatest Y chromosome loss had the greatest risk of death from cardiovascular disease.

Why it matters

Men are reported to have shorter life spans than women in many countries. In industrialized countries like the U.S., this is typically a <u>difference of five years</u>. While <u>social</u>, <u>behavioral and other genetic</u> <u>factors</u> may also be at play, they don't entirely account for the differences in life span.

Our work shows that loss of the Y chromosome can directly contribute to age-related diseases like <u>heart disease</u> through tissue scarring. We believe that a better understanding of how the Y chromosome may contribute to age-related diseases, and potentially the process of aging itself, could lead to ways to screen and prevent excessive tissue scarring that can lead to <u>cardiovascular disease</u>.

What still isn't known

While our study primarily focused on the heart, we also found that mice with Y chromosome loss also had scarring in their kidneys and lungs as well as accelerated cognitive impairment as they aged. Further research can help clarify the role of Y chromosome loss in diseases affecting other parts of the body.



What's next

We are currently searching for <u>specific genes</u> that are lost with the Y chromosome that may be responsible for the disease-causing effects of Y chromosome loss. This information can help us better analyze exactly how loss of the Y chromosome can lead to disease and aid in the development of treatments for it.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: Y chromosome loss through aging can lead to an increased risk of heart failure and death from cardiovascular disease (2022, July 15) retrieved 12 June 2024 from https://medicalxpress.com/news/2022-07-chromosome-loss-aging-heart-failure.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.