


# Increase in non-COVID-19 respiratory infections predicted this winter

August 9 2022

---



Credit: Pixabay/CC0 Public Domain

An increase in the number of non-COVID-19 respiratory infections should be expected this winter, say scientists. The warning comes following the results of a new study, published in *The Lancet Regional*

*Health—Europe*, which found that over 55% of respiratory disease hospitalizations during the pandemic's peak were caused by non-SARS-CoV-2 infections.

The University Bristol-led study funded and conducted in collaboration with Pfizer Inc., as part of AvonCAP, is the first to compare the number of hospitalizations from respiratory [disease](#) infections caused by COVID-19 and non-SARS-CoV-2 infections.

Using data from 135,014 hospitalizations from two large hospitals in Bristol between August 2020 and November 2021, researchers identified 12,557 admissions attributable to acute Lower Respiratory Tract Disease (aLRTD) with [patients](#) admitted with signs or symptoms of respiratory infections including cough, fever, pleurisy, or a clinical or radiological aLRTD diagnosis. Of these, 12,248 (98%) patients, comprising mainly [older adults](#), consented to participate in the study.

Following further analysis, the team show that of the 12,248 aLRTD hospitalizations, 55% (6,909) were due to infection with no evidence of SARS-CoV-2, while confirmed SARS-CoV-2 infection only accounted for 26% (3,178) of respiratory infections. The remaining 17% (2,161) were due to infection with no infective cause.

Adam Finn, Professor of Paediatrics at the University of Bristol, Director of the Bristol Vaccine Centre at Bristol Medical School and lead of Bristol UNCOVER (Bristol COVID Emergency Research Group), says that "what is really surprising from our results is just how much other non-COVID respiratory infections there was during this time, other infections clearly didn't just disappear and despite significant public health measures, including both vaccination and non-pharmaceutical intervention such as masks, our findings show there was still a high incidence of non-COVID-19 disease causing hospitalizations alongside COVID-19 patients."

Dr. Catherine Hyams, Post-Doctoral Clinical Research Fellow, Principal Investigator for the AvonCAP study and one of the study's lead authors at the University of Bristol, added that their "results really highlight not only the huge burden of respiratory [infection](#) on the NHS and other healthcare systems, but also how bad things may get this winter. It is therefore essential that appropriate healthcare planning and [resource allocation](#) is undertaken to care for patients with respiratory conditions, in addition to implementation of public health measures to reduce respiratory disease burden and improve patient outcomes."

The study is part of AvonCAP, an ongoing collaborative surveillance project funded by Pfizer Inc., which records detailed information on every adult patient admitted to Bristol's two large NHS hospitals with symptoms, signs and/or X-ray evidence of acute disease in the lungs.

**More information:** Catherine Hyams et al, Incidence of community acquired lower respiratory tract disease in Bristol, UK during the COVID-19 pandemic: A prospective cohort study, *The Lancet Regional Health—Europe* (2022). [DOI: 10.1016/j.lanepe.2022.100473](https://doi.org/10.1016/j.lanepe.2022.100473)

Provided by University of Bristol

Citation: Increase in non-COVID-19 respiratory infections predicted this winter (2022, August 9) retrieved 18 November 2023 from

<https://medicalxpress.com/news/2022-08-non-covid-respiratory-infections-winter.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--