


Dental biorhythm is associated with adolescent weight gain

August 22 2022



Calculating RP-biorhythm in human primary molars. a Sectioned primary (deciduous, 'milk') molar. An arrow pointing to lateral enamel with Retzius lines on the far right. b Thin section through enamel with Retzius lines to the right (lower white circle). The Upper white circle overlays tubular enamel rods, which formed as groups of cells (named ameloblasts) lay down new enamel as a tooth crown develops. c A record of ameloblast pathways are preserved in teeth as enamel rods. d Daily cross striations. Enamel deposition by ameloblasts is interrupted every 24-h producing regions along rods that have relatively less mineral. When prepared and examined under a microscope, these differences in mineralisation along rods appear as cross striations. This occurs because variation in mineralisation alters the refractive index of light transmitted by a microscope, producing the striations. Cross striations are used to calculate Retzius periodicity. e Black arrows point to Retzius lines in primary molar enamel. f White arrows point to cross striations and 6 days of enamel formation between two adjacent Retzius lines giving a Retzius periodicity of 6 days. Parts of Fig. 1 (part of the panel a and all of panel c) were created using a template from BioRender.com (2022). Credit: *Communications Medicine* (2022). DOI: 10.1038/s43856-022-00164-x

Research led by the University of Kent has discovered evidence of a biorhythm in human primary teeth that is associated with weight gain during adolescence.

An international research team led by Dr. Patrick Mahoney at Kent's School of Anthropology and Conservation discovered the biorhythm in primary "milk" molars (Retzius periodicity [RP]) is related to aspects of physical development during [early adolescence](#). A faster dental biorhythm produced smaller gains in weight and mass.

RP forms through a circadian-like process, occurring with a repeat interval that can be measured with a resolution of days. The [rhythm](#) relates to the period in which tooth enamel forms and is consistent within the permanent molars of individuals that do not retain evidence of

developmental stress. The human modal RP has a near seven-day cycle but can vary from five to 12 days.

The first-of-its-kind research published by *Communications Medicine* found that adolescents with a faster biorhythm (five or six-day cycle) weighed less, gained the least weight, and had the smallest change in their body mass index over a 14-month period compared to those with a slower biorhythm. Those with a slow biorhythm (seven or eight-day cycle) produced the greatest weight gain.

Dental histologists have known about the biological rhythm for over 100 years, but its significance for body mass and growth emerged recently in studies that compare mammalian species. Research has now focused on the meaning of the rhythm for humans.

One surprising finding was that participants with slower biorhythms were six times more likely to have a very high [body mass](#) index. Rapid change in [body size](#) is a natural consequence of adolescence, but excessive weight gain during puberty can have vast consequences for health such as obesity in adulthood.

Dr. Mahoney said, "This research is an exciting first step. The next step is to determine if the link we have discovered extends to related adverse health outcomes for adults. Potentially, [milk teeth](#) may hold a record of this information many years before those outcomes can manifest in adults."

Dr. Gina McFarlane, a histologist on the project (also based at Kent), said, "Our findings provide a new avenue from which to explore links between overweight children and adult health risks. Milk teeth are naturally exfoliated (*drop out*) during the childhood years. These discarded teeth contain precise information about a fundamental growth rhythm that we now know tracks adolescent [weight](#) gain."

The research paper titled "Dental biorhythm associates with adolescent [weight gain](#)" is published by *Communications Medicine*.

More information: Patrick Mahoney et al, Dental biorhythm is associated with adolescent weight gain, *Communications Medicine* (2022). [DOI: 10.1038/s43856-022-00164-x](https://doi.org/10.1038/s43856-022-00164-x)

Provided by University of Kent

Citation: Dental biorhythm is associated with adolescent weight gain (2022, August 22) retrieved 4 July 2024 from <https://medicalxpress.com/news/2022-08-dental-biorhythm-adolescent-weight-gain.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.