


Unvaccinated cancer patients with COVID seven times more likely to die than comparable patients without COVID

October 13 2022



Kaplan-Meier survival estimates of overall cancer population by age group (years), Indiana, 2019-2020. Credit: *JMIR Cancer* (2022). DOI: 10.2196/35310

Unvaccinated adult cancer patients with COVID were found to be seven

times more likely to die from any cause of death than unvaccinated adult cancer patients who were not infected with the SARS-CoV-2 virus in a population study from the Regenstrief Institute.

The researchers studied adult cancer patients, whose cancer was diagnosed in 2019 and 2020, in active treatment or in remission. The study was performed using data before COVID-19 vaccines were available on ancestral strains of the SARS-CoV-2 virus.

The researchers found that—among unvaccinated individuals with a recent cancer diagnosis—[older adults](#), individuals with two or more comorbid conditions such as hypertension, diabetes, [coronary heart disease](#) or chronic kidney disease, males and rural dwellers possessed higher risk of death following COVID compared to other cancer patient populations. The researchers used a variety of methods to control for other factors that might cause death, yet exposure to SARS-CoV-2 infection was consistently associated with increased risk in multiple analyses.

Individuals with COVID and lung cancer or digestive cancers had the highest risk of death. The elevated death rate of adults with these cancers who are infected with the SARS-CoV-2 virus provides a partial explanation for the higher death rate among males because both cancers are more common in men than women.

"Our findings highlight the increased risk of death for adult cancer patients who test positive for COVID and underscore the importance to cancer patients—including those in remission—of vaccinations, boosters and regular COVID testing," said study senior author Brian Dixon, Ph.D., MPA, director of public health informatics at Regenstrief Institute and Richard M. Fairbanks School of Public Health.

"Our results should encourage individuals diagnosed with cancer not

only to take preventive action, but also to expeditiously seek out treatments available in the marketplace should they test positive for COVID."

"Other studies have reported a lesser likelihood of risk of death for cancer patients with COVID than the seven-fold increase we found," said Dr. Dixon.

"As we noted in our paper, earlier studies were generally smaller and made calculations based on data from a single cancer center or [health system](#). However, our comprehensive population approach using [electronic health records](#) linked to a statewide COVID testing database enabled us to analyze robust data from facilities throughout the entire state of Indiana, public health departments and the state vital records department's mortality registry to determine diagnoses and all-cause as well as all-location mortality."

Given these findings, the researchers recommend that individuals who are diagnosed with cancer, or who were diagnosed in the past three years, remain up-to-date on their COVID-19 vaccinations. Furthermore, individuals with a recent cancer diagnosis are encouraged to contact their providers immediately upon infection with the SARS-CoV-2 virus to discuss available treatments to prevent hospitalization and death.

The research is published in *JMIR Cancer*.

More information: Nimish Valvi et al, COVID-19 Diagnosis and Risk of Death Among Adults With Cancer in Indiana: Retrospective Cohort Study, *JMIR Cancer* (2022). [DOI: 10.2196/35310](https://doi.org/10.2196/35310)

Provided by Regenstrief Institute

Citation: Unvaccinated cancer patients with COVID seven times more likely to die than comparable patients without COVID (2022, October 13) retrieved 4 January 2023 from <https://medicalxpress.com/news/2022-10-unvaccinated-cancer-patients-covid-die.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.