

Breast implant illness uncommon cause of revision surgery

October 14 2022



Among women with silicone breast implants, breast implant illness (BII)



is an uncommon indication for revision, according to a study published online Oct. 7 in *JAMA Network Open*.

Annemiek S. Lieffering, from the Netherlands Institute for Health Services Research in Utrecht, and colleagues assessed how often women with silicone breast implants have their implants explanted or replaced because of BII. Analysis included data from a retrospective cohort of 12,882 patients undergoing breast implant revision surgery (April 1, 2015, to December 31, 2020), and a 47,564 prospective cohort undergoing breast implantation and revision surgery (April 1, 2015, to December 31, 2019).

The researchers found that in the prospective cohort, 1.6 percent of cosmetic breast implants were revised after a median time to reoperation of 1.8 years, and 11.8 percent of reconstructive breast implants were revised after a median time to reoperation of 1.1 years. Among the revision surgeries, BII was cited as the reason for 4.7 percent of cosmetic revisions and 0.7 percent of reconstructive revisions in the prospective cohort, corresponding to 0.1 percent of the inserted implants. In the legacy cohort, BII was responsible for 4.2 percent of cosmetic revisions and 2.7 percent of reconstructive breast implant revisions.

"In <u>contrast</u> to the increasing public interest in BII, these results showed that local complications are a far more common reason for breast implant revision," the authors write.

More information: Abstract/Full Text

Copyright © 2022 HealthDay. All rights reserved.

Citation: Breast implant illness uncommon cause of revision surgery (2022, October 14) retrieved 2 December 2023 from



https://medicalxpress.com/news/2022-10-breast-implant-illness-uncommon-surgery.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.