

# CT colonography offers 1-stop screening for cancer and osteoporosis

December 2 2008

---

New research reveals that computed tomography (CT) colonography, also known as virtual colonoscopy, has the potential to screen for two diseases at once—colorectal cancer and osteoporosis, both of which commonly affect adults over age 50. Results of the study will be presented today at the annual meeting of the Radiological Society of North America (RSNA).

"With CT colonography, in addition to screening for colorectal cancer, we were able to identify patients with osteoporosis," said lead author Rizwan Aslam, M.B.Ch.B., assistant clinical professor of radiology at the University of California San Francisco.

CT colonography, an imaging study performed to detect pre-cancerous polyps in the large intestine, begins with an abdominal CT scan, which creates cross-sectional images of all structures in the abdomen including the spine. Computer software then arranges the CT images to create an interior or "fly-through" view of the colon.

Using the same CT images, another software application can create three-dimensional images of the spine, allowing bone mineral density to be measured. Low bone mineral density is usually associated with osteoporosis, a disease in which bones become fragile and more likely to break.

In the study conducted at the San Francisco Veterans Administration Hospital, the researchers evaluated the results of 35 patients who

underwent CT colonography and bone mineral density testing with dual-energy x-ray absorptiometry (DEXA), a standard bone density screening tool. Patients included 30 males and five females ranging in age from 54 to 79.

The results of the study showed excellent agreement between the DEXA bone mineral density scores and the data generated through the CT colonography study.

"The bone density measurements obtained from CT colonography were comparable to the DEXA results," Dr. Aslam said. "Both tests identified osteoporotic bones."

Most physicians recommend that adults undergo CT colonography or conventional colonoscopy every seven to 10 years beginning at age 50.

"CT colonography isn't a replacement for DEXA testing, but it could be a way to screen more people for osteoporosis," Dr. Aslam said. "When an individual undergoes CT colonography, we can also obtain a bone density measurement with no additional radiation and at minimal cost."

According to the National Institute of Arthritis and Musculoskeletal and Skin Diseases, 10 million Americans over age 50 have osteoporosis. Approximately 34 million Americans are at risk due to low bone mass. Detecting osteoporosis early provides for early intervention and treatment.

Source: Radiological Society of North America

Citation: CT colonography offers 1-stop screening for cancer and osteoporosis (2008, December 2) retrieved 22 November 2023 from

<https://medicalxpress.com/news/2008-12-ct-colonography-stop-screening-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.