

Poor sleep quality linked to postpartum depression

December 10 2008

Postpartum depression (PPD) can lead to poor sleep quality, recent research shows. A study published in the current issue of the *Journal of Obstetric, Gynecologic, & Neonatal Nursing* shows that depression symptoms worsen in PPD patients when their quality of sleep declines.

Sleep deprivation can hamper a mother's ability to care for her infant, as judgment and concentration decline. Sleep-deprived mothers also may inadvertently compromise their infants' sleep quality because infants often adopt their mothers' circadian sleep rhythms.

All new mothers experience some sleep loss following childbirth, as their estrogen and progesterone hormone levels plunge. They typically spend 20 percent more of the day awake than average during the first six weeks postpartum. Postpartum women wake more frequently and have less dream sleep than non-postpartum women, with women in their first month postpartum spending only 81 percent of their time in bed actually sleeping. Neurotransmitters that influence sleep quality also affect mood, raising sleep-deprived mothers' risk for depression.

Approximately 6.5 to 13 percent of new mothers suffer from PPD in the United States, with there being more than 4.2 million births per year. This rate is nearly 50 percent among mothers in the lowest socioeconomic levels.

Study author Bobbie Posmontier of Drexel University compared sleep patterns of 46 postpartum women, half with symptoms of PPD and half without. Sleep patterns were monitored for seven consecutive days.

Results showed that mothers suffering from PPD took longer to fall asleep and slept for shorter periods. The worse their sleep quality, the worse their depression.

Source: Wiley

Citation: Poor sleep quality linked to postpartum depression (2008, December 10) retrieved 19 November 2023 from

<https://medicalxpress.com/news/2008-12-poor-quality-linked-postpartum-depression.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.