

Forging iron women

April 9 2014, by Anne Rahilly



Iron and calcium are important for strength and exercise performance. Credit: tonictornado.com

(Medical Xpress)—A new University of Melbourne study has found that women who take iron supplements, experience a marked improvement in their exercise performance.

Published in the *Journal of Nutrition*, researchers undertook a [systematic review](#) and analysis of the effect of iron supplementation to the [exercise performance](#) of women in child-bearing years.

Lead researcher, Dr Sant-Rayn Pasricha from the Melbourne School of Population and Global Health found that iron supplementation improved women's exercise performance, in terms of both the highest level they could achieve at 100% exertion (maximal capacity) and their exercise efficiency at a submaximal exertion. Women who were given iron were able to perform a given exercise using a lower heart rate and at a higher efficiency.

"This was mainly seen in women who had been iron deficient or anaemic at the beginning of the trial and in women who were specifically training, including in elite athletes," he said.

"The study collected data from many individual smaller studies which generally could not identify this beneficial effect on their own. However, when we merged the data using meta-analysis, we found this impressive benefit from iron."

It is the first time researchers have been able to confirm that [iron supplementation](#) has beneficial effects on exercise performance.

Dr Pasricha said the findings could have implications for improved performance in athletes and health and general health and well-being in the rest of the population.

"It may be worthwhile screening women, including women training as elite athletes, for iron deficiency, and ensuring they receive appropriate prevention and treatment strategies. Athletes, especially females, are at increased risk of iron deficiency potentially, due to their diets and inflammation caused by excessive exercise," said Dr Pasricha.

Other studies have shown that women given iron experience improved work productivity.

In addition, this study confirms that iron deficiency can impair exercise performance in [women](#). Iron deficiency can also produce fatigue and lethargy and eventually result in iron deficiency anaemia.

Provided by University of Melbourne

Citation: Forging iron women (2014, April 9) retrieved 21 November 2023 from <https://medicalxpress.com/news/2014-04-forging-iron-women.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.