

Youth handball players get injured by sudden increases in training volume

February 21 2017

With extra training sessions in the sports hall and more matches on the programme, youth handball players risk getting shoulder injuries. This is the result of new research from Aarhus University.

An additional training session on Thursdays and a weekday match in the local cup tournament - in addition to regular training three times a week and tournament matches on Sunday. This would be a typical week for many youth handball players.

But a sudden increase in the amount of training and matches has crucial importance for children and young people getting shoulder injuries. This is shown by a new PhD project from Aarhus University, which is the first study globally to have looked into the correlation between load from both training and competition and the development of shoulder injuries.

The project has been carried out by the former elite handball player and PhD Merete Møller in collaboration with researchers from Aarhus University, the University of Southern Denmark and the Oslo Sports Trauma Research Center.

Data from almost 700 youth handball players aged 14-18 years who were monitored through the 31 weeks of a handball season forms the basis for the results, which have now been published in the *British Journal of Sports Medicine*.

During the weeks in question the players provided information via text

message on e.g. their injuries, amount of training and matches. A total of 106 new shoulder injuries were reported during the 73,546 hours of competition and training time.

Worrying results

This is more than twice as many than previously reported in the same age group. In addition, twenty per cent had handball-related shoulder pain when the study began and 24 per cent had experienced handball-related shoulder pain earlier in their career.

"It is worrying that so many players either have or develop shoulder problems at such an early age, and it is therefore crucial that we learn more about why players develop these injuries, so that we can reduce the number," says Merete Møller.

The study shows that the risk of shoulder injuries increases if training and competition load is increased by more than 60 per cent compared to the level of training and competition for players over the previous four weeks.

"This means that if you play an average of five hours a week over a period of four weeks, then you should play a maximum of eight hours during the next week. If you have not played for more than two hours over the past four weeks, for example due to injury or illness, you should be more cautious and not increase the competition and training load to more than 3.2 hours in the week where you next feel you can train and play at full strength again," says Merete Møller.

Training must be adjusted

The results also point to players with reduced shoulder strength or reduced control of their shoulder blade being more vulnerable to

shoulder injuries. These players had an increased risk of shoulder injuries if they increased their weekly level of training and competition by 20 to 60 per cent.

"If a player with either reduced strength or reduced control of the shoulder blade plays an average of five hours a week for a four-week period, our study suggests that they should play a maximum of six to eight hours per week afterwards by comparison," says Merete Møller, and adds:

"In a time where there is a lot of talk about how hard the fixture list is for senior players, it is important to remember that very many youth handball players also have an unreasonably hard competition and training programme, and that the adults around them, both parents and trainers, must be better to adjust their competition and [training](#) load."

In 1997, she became double World Champion at both youth and national team level, and Merete Møller was called one of the biggest talents in Danish women's handball. But the promising career did not last long. At the age of 21 she was already declared to be invalid as a handball player and she has not played since. Today she carries out research into handball injuries and how to prevent them.

More information: M Møller et al. Handball load and shoulder injury rate: a 31-week cohort study of 679 elite youth handball players, *British Journal of Sports Medicine* (2017). [DOI: 10.1136/bjsports-2016-096927](https://doi.org/10.1136/bjsports-2016-096927)

Provided by Aarhus University

Citation: Youth handball players get injured by sudden increases in training volume (2017, February 21) retrieved 17 February 2023 from <https://medicalxpress.com/news/2017-02-youth->

handball-players-sudden-volume.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.