

Link between Vitamin D treatment and autism prevention

March 17 2017

Giving vitamin D supplements to mice during pregnancy prevents autism traits in their offspring, University of Queensland researchers have discovered.

The discovery provides further evidence of the crucial role [vitamin D](#) plays in [brain development](#), said lead researcher Professor Darryl Eyles, from UQ's Queensland Brain Institute.

"Our study used the most widely accepted developmental model of [autism](#) in which affected mice behave abnormally and show deficits in social interaction, basic learning and stereotyped behaviours," Professor Eyles said.

"We found that pregnant females treated with active vitamin D in the equivalent of the first trimester of pregnancy produced offspring that did not develop these deficits."

In human studies, QBI researchers recently found a link between pregnant women with low Vitamin D levels and the increased likelihood of having a child with autistic traits.

Autism—or autism spectrum disorder—describes lifelong developmental disabilities including difficulty or inability to communicate with others and interact socially.

Sun exposure is the major source of vitamin D—which skin cells

manufacture in response to UV rays—but it is also found in some foods.

Dr Wei Luan, a postdoctoral researcher involved in the study, said vitamin D was crucial for maintaining healthy bones, but the active hormonal form of vitamin D cannot be given to pregnant women because it may affect the skeleton of the developing foetus.

"Recent funding will now allow us to determine how much cholecalciferol - the supplement form that is safe for pregnant women—is needed to achieve the same levels of active hormonal vitamin D in the bloodstream," said Dr Luan.

"This new information will allow us to further investigate the ideal dose and timing of vitamin D supplementation for [pregnant women](#).

It was previously thought vitamin D had a protective anti-inflammatory effect during brain development, but the study didn't find this to be the case.

New funding from the National Health and Medical Research Council will allow researchers to continue to study how vitamin D protects against autism.

More information: Stephanie Vuillermot et al, Vitamin D treatment during pregnancy prevents autism-related phenotypes in a mouse model of maternal immune activation, *Molecular Autism* (2017). [DOI: 10.1186/s13229-017-0125-0](#)

Provided by University of Queensland

Citation: Link between Vitamin D treatment and autism prevention (2017, March 17) retrieved

29 January 2023 from <https://medicalxpress.com/news/2017-03-link-vitamin-d-treatment-autism.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.