

## Radn Tx alone may be adequate for stage I anal cancer in elderly

August 30 2018



(HealthDay)—For older patients with stage I squamous cell carcinoma



of the anus, radiation alone is associated with outcomes that do not differ significantly from those of chemoradiation, according to research published in the July issue of *Diseases of the Colon & Rectum*.

Michael Buckstein, M.D., Ph.D., from the Icahn School of Medicine at Mount Sinai in New York City, and colleagues conducted a cohort analysis to examine whether outcomes are improved with the addition of chemotherapy to radiation alone for stage I <u>squamous cell carcinoma</u> of the anus. Data were included for 200 <u>patients</u> who received chemoradiation and 99 treated with lone radiotherapy (median age, 72 years).

The researchers found that, compared to patients treated with lone radiotherapy, patients receiving chemoradiation had improved unadjusted overall survival; however, after propensity-score method adjustment, there was no significant between-group difference in overall survival (hazard ratio, 0.7; 95 percent confidence interval, 0.4 to 1), cause-specific survival (hazard ratio, 0.7; 95 percent confidence interval, 0.3 to 1.6), colostomy-free survival (hazard ratio, 1.1; 95 percent confidence interval, 0.5 to 2.5), or disease-free survival (hazard ratio, 0.9; 95 percent <u>confidence</u> interval, 0.6 to 1.4). The risk of select early and late toxicities was increased in association with chemoradiation.

"Lone radiation may be associated with adequate oncologic outcomes when used to treat older and sicker patients with stage I anal cancer," the authors write.

Several authors disclosed financial ties to the pharmaceutical industry.

**More information:** <u>Abstract/Full Text (subscription or payment may</u> <u>be required)</u>



Copyright © 2018 <u>HealthDay</u>. All rights reserved.



Citation: Radn Tx alone may be adequate for stage I anal cancer in elderly (2018, August 30) retrieved 16 April 2023 from https://medicalxpress.com/news/2018-08-radn-tx-adequate-stage-anal.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.