

# Study links Celebrex, heart valve calcification after earlier research declared drug safe

February 22 2019

---



W. David Merryman, professor of biomedical engineering at Vanderbilt University, in his laboratory. Credit: Vanderbilt University

A well-known, four-year study found popular arthritis drug Celebrex no

more dangerous for the heart than older drugs in its same classification—commonly called NSAIDs. Now, a big-data analysis of patient records at Vanderbilt University has found a link specifically between Celebrex and heart valve calcification.

W. David Merryman, professor of biomedical engineering, and Ph.D. student Megan Bowler started out by testing celecoxib, the active compound in Celebrex, on valve cells in an effort to see if it could double as an aortic stenosis therapy. It made the problem worse.

To confirm their theory about a link between celecoxib and valve calcification, Merryman, who is also a professor of pharmacology, medicine and pediatrics at Vanderbilt, recruited Michael Raddatz, an M.D./Ph.D. student, to analyze more than 8,600 relevant, anonymous patient records from Vanderbilt University Medical Center. Raddatz checked whether there was a link between Celebrex use and aortic valve disease, and, after correcting for other [risk factors](#), discovered that patients who had taken Celebrex had a 20 percent increased prevalence of valve disease.

The team's results appear today, which is National Heart Valve Disease Awareness Day, in the *Journal of the American College of Cardiology (JACC): Basic to Translational Science*.

The 2016 *New England Journal of Medicine* study that found Celebrex no more damaging than naproxen and ibuprofen only looked at cardiovascular death and nonfatal [heart](#) attack or stroke, not valve disease, which affects more than a quarter of the U.S. population older than 65.

"In this study, we're adding a long-term perspective on celecoxib use," said Bowler, who recently earned her Ph.D. "Calcification in the aortic valve can take many years. So if you're at a higher risk for it, you might

want to consider taking a different painkiller or rheumatoid arthritis treatment."

As part of the same study, Bowler and Merryman found dimethyl celecoxib—an inactive form of celecoxib—could potentially slow or stop aortic stenosis. Merryman said he intends to keep testing dimethyl [celecoxib](#) for its beneficial effects on heart valve health.

**More information:** *Journal of the American College of Cardiology* (2019). [DOI: 10.1016/j.jacbts.2018.12.003](https://doi.org/10.1016/j.jacbts.2018.12.003) , [basictranslational.onlinejacc. ... j.jacbts.2018.12.003](https://doi.org/10.1016/j.jacbts.2018.12.003)

Provided by Vanderbilt University

Citation: Study links Celebrex, heart valve calcification after earlier research declared drug safe (2019, February 22) retrieved 2 February 2024 from <https://medicalxpress.com/news/2019-02-links-celebrex-heart-valve-calcification.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.