

# Researchers develop an intradermal model to study *Staphylococcus aureus* infections

April 10 2019

---



Human skin structure. Credit: Wikipedia

Infections caused by the *Staphylococcus aureus* bacteria through skin wounds cause thousands of deaths every year due to their fast transmission among large groups of people, such as hospitalised patients. Furthermore, these infections also cause millions in losses for livestock farmers. In addition, there has been an appearance of strains of

Staphylococcus aureus that are resistant to antibiotics, which makes the development of new experimental models necessary in order to create efficient therapeutic tools against these infections. A group of researchers from the CEU Cardenal Herrera University has just developed a new intradermal experimental model on rabbit skin which makes it possible to describe in a detailed way, for the first time, the development of this infection. The results of their work are part of the doctoral thesis of researcher Asunción Silvestre, guided by CEU UCH professors Juan Manuel Corpa and David Viana.

As the study researchers highlight, "there are currently no vaccinations that are 100% effective against Staphylococcus aureus infections, despite the investment of thousands of millions of euros and years of research. We believe this is due to the use of experimental models that do not appropriately reproduce what happens in humans when the bacteria penetrates the [skin](#) and invades the organism, which is why we began the research to develop a new [model](#) that improves that mimicking."

After four years of work, researcher Asunción Silvestre, under the guidance of doctors Corpa and Viana, has developed at the CEU UCH an intradermal experimental model on rabbit skin with low [infection](#) doses and has described, for the first time and in a detailed way, the answer of the host on a histopathological and immunological level.

## **Mimicking the natural infection processes**

According to the study authors, the novelty of this work lies in the type and number of bacteria used to generate the experimental infection. The designed model on rabbit skin, compared to those used until now in mice, requires a far smaller number of bacteria compared to current models, which is more similar to what happens in the natural processes of the infection, both in humans as well as animals. "This model can be

of great help in order to develop vaccines and other therapeutic tools to fight against infections caused by Staphylococcus aureus," conclude the CEU UCH researchers.

Provided by Asociacion RUVID

Citation: Researchers develop an intradermal model to study Staphylococcus aureus infections (2019, April 10) retrieved 21 November 2023 from <https://medicalxpress.com/news/2019-04-intradermal-staphylococcus-aureus-infections.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.