

'Magic mushrooms,' an anti-depressive psychedelic, affects perception of music

October 5 2021



Credit: CC0 Public Domain

Scientists have found that the psychedelic drug psilocybin, in development as an anti-depressive treatment, changes the emotional state of people listening to music. Psilocybin is the active psychedelic

ingredient in magic mushrooms. Clinical trials of psilocybin generally use selected music playlists to support the drug-induced psychedelic experience, and this work shows that enhanced emotional processing may be a positive outcome of combining psilocybin with music, suggesting that music should be an active component of psilocybin therapy. This work is presented at the ECNP Congress in Lisbon.

There has been considerable interest in the use of psychedelics in the treatment of hard-to-treat depression and other mental health conditions. Psilocybin, found naturally in several species of mushrooms, is the psychedelic most suitable for clinical development, in part because the psilocybin 'trip' can be contained within a working day, which is important for a supervised clinical treatment. In the treatment of depression, psilocybin is normally administered with psychological support, and with accompanying music. Previous studies have shown that the psychedelic LSD interacts with music, and in the 1960s, psychedelics were intimately related to the experience of music for many. Now, for the first time, a group of Danish scientists has shown that psilocybin affects the way that music elicits emotions.

In the study, 20 healthy participants (50 percent women) were tested on their [emotional response](#) to music before and after given psilocybin; 14 of these participants were also tested after being given ketanserin (ketanserin is an anti-hypertension drug, commonly used to as a comparison in [psychedelic](#) experiments). Whether ketanserin or psilocybin was given first was randomly selected and each person was thus able to report on the changes effected by both psilocybin and ketanserin. At the peak of drug effects, participants listened to a short music program and rated their emotional response.

The emotional response to the music was rated according to the Geneva Emotional Music Scale. The music used was a short program comprising Elgar's Enigma Variations No. 8 and 9, and Mozart's Laudate Dominum,

together lasting around 10 minutes.

Lead researcher, Associate Professor Dea Siggaard Stenbæk, University of Copenhagen, says, "We found that psilocybin markedly enhanced the emotional response to music, when compared to the response before taking the drugs. On the measurement scale we used, psilocybin increased the emotional response to music by around 60 percent. This response was even greater when compared to ketanserin. In fact, we found that ketanserin lessens the emotional response to music. This shows that combination of psilocybin and music has a strong emotional effect, and we believe that this will be important for the therapeutic application of psychedelics if they are approved for clinical use. Psilocybin is under development as a drug to treat depression, and this work implies that music needs to be considered as a therapeutic part of the treatment. Our next step is to look at the effect of music on the brain while under the influence of [psilocybin](#) in data material we have already collected, using an MRI.

"Interestingly, some of the music we used—Elgar's famous "Nimrod" variation (the 9th variation) describes his close friend Augustus Jaeger. Jaeger encouraged Elgar to write the variations as a way out of depression, so we're pleased to see it used again to help understand more about mental health."

Professor David J. Nutt, Imperial College, London, said, "This is further evidence of the potential of using music to facilitate treatment efficacy with psychedelics. What we need to do now is optimize this approach probably through individualizing and personalizing [music](#) tracks in therapy."

Professor Nutt was not involved in this work.

There is evidence that magic mushrooms have been taken by humans for

over 6,000 years. Psilocybin was first isolated and synthesized in 1958 by the Swiss Chemist Albert Hoffman, the same man who first synthesized LSD. There was extensive early research into medical uses of psychedelics, but this became difficult after the U.S. introduced a ban on their use in 1970. <https://www.scientificamerican.com/article/end-the-ban-on-psychoactive-drug-research/> for background.

More information: M. Kaelen et al, LSD enhances the emotional response to music, *Psychopharmacology* (2015). [DOI: 10.1007/s00213-015-4014-y](https://doi.org/10.1007/s00213-015-4014-y)

The 34th ECNP Annual conference takes place in Lisbon and online from 2–5 October, see <https://www.ecnp.eu/Congress2021/ECNPcongress> .

Provided by European College of Neuropsychopharmacology

Citation: 'Magic mushrooms,' an anti-depressive psychedelic, affects perception of music (2021, October 5) retrieved 5 April 2023 from <https://medicalxpress.com/news/2021-10-magic-mushrooms-anti-depressive-psychedelic-affects.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--