


# Rare cases of COVID returning pose questions for Pfizer pill

May 9 2022, by Matthew Perrone

---



In this photo provided by Pfizer, a lab technician visually inspects COVID-19 Paxlovid tablet samples in Freiburg, Germany in December 2021. As more doctors prescribe Pfizer's powerful COVID-19 pill, new questions are emerging about its performance, including why a small number of patients appear to relapse after taking the drug. Credit: Pfizer via AP, File

As more doctors prescribe Pfizer's powerful COVID-19 pill, new questions are emerging about its performance, including why a small number of patients appear to relapse after taking the drug.

Paxlovid has become the go-to option against COVID-19 because of its at-home convenience and impressive results in heading off severe disease. The U.S. government has spent more than \$10 billion to purchase enough pills to treat [20 million people](#).

But experts say there is still much to be learned about the drug, which was [authorized in December](#) for adults at high risk of severe COVID-19 based on a study in which 1,000 adults received the medication.

## WHY DO SOME PATIENTS SEEM TO RELAPSE?

Doctors have started reporting rare cases of patients whose symptoms return several days after completing Paxlovid's five-day regimen of pills. That's prompted questions about whether those patients are still contagious and should receive a second course of Paxlovid.

Last week, the Food and Drug Administration weighed in. It advised against a second round because there's little risk of severe disease or hospitalization among patients who relapse.

Dr. Michael Charness [reported](#) last month on a 71-year-old vaccinated patient who saw his symptoms subside but then return, along with a spike in virus levels nine days into his illness.

Charness says Paxlovid remains a highly effective drug, but he wonders if it might be less potent against the current omicron variant. The \$500 [drug treatment](#) was tested and OK'd based on its performance against the delta version of the coronavirus.

"The ability to clear the virus after it's suppressed may be different from omicron to delta, especially for vaccinated people," said Charness, who works for Boston's VA health system.

Could some people just be susceptible to a relapse? Both the FDA and Pfizer point out that 1% to 2% of people in Pfizer's original study saw their virus levels rebound after 10 days. The rate was about the same among people taking the drug or dummy pills, "so it is unclear at this point that this is related to drug treatment," the [FDA stated](#).

Some experts point to another possibility: The Paxlovid dose isn't strong enough to fully suppress the virus. Andy Pekosz of Johns Hopkins University worries that could spur mutations that are resistant to the drug.

"We should really make sure we're dosing Paxlovid appropriately because I would hate to lose it right now," said Pekosz, a virologist. "This is one of the essential tools we have to help us turn the corner on the pandemic."

## HOW WELL DOES PAXLOVID WORK IN VACCINATED PEOPLE?

Pfizer tested Paxlovid in the highest-risk patients: unvaccinated adults with no prior COVID-19 infection and other health problems, such as heart disease and diabetes. The [drug](#) reduced their risk of hospitalization and death from 7% to 1%.

But that doesn't reflect the vast majority of Americans today, where 89% of adults have had at least one shot. And roughly [60% of Americans](#) have been infected with the virus at some point.

"That's the population I care about in 2022 because that's who we're

seeing—vaccinated people with COVID—so do they benefit?" asked Dr. David Boulware, a University of Minnesota researcher and physician.

There's no clear answer yet for vaccinated Americans, who already have a hospitalization rate far below 1%.

That may come from a large, ongoing Pfizer study that includes high-risk vaccinated people. No results have been published; the study is expected to wrap up in the fall.

Pfizer said last year that initial results showed Paxlovid failed to meet the study's goals of significantly resolving symptoms and reducing hospitalizations. It recently stopped enrolling anyone who's received a vaccination or booster in the past year, a change Boulware says suggests those patients aren't benefitting.

At a minimum, the preliminary data should be released to federal officials, Boulware said. "If the U.S. government is spending billions of dollars on this medicine, what's the obligation to release that data so that they can formulate a good policy?"

## CAN PAXLOVID BE USED TO HELP PREVENT COVID-19 INFECTION?

Pfizer recently reported that proactively giving Paxlovid to family members of people infected with COVID-19 didn't significantly reduce their chances of catching it. But that's not the end of the story. Pfizer is studying several other potential benefits of early use, including whether Paxlovid reduces the length and severity of COVID-19 among households.

"It's a high bar to protect against infection but I'd love to see data on how Paxlovid did against [severe disease](#) because it may be more effective

there," said Pekosz.

© 2022 The Associated Press. All rights reserved. This material may not be published, broadcast, rewritten or redistributed without permission.

Citation: Rare cases of COVID returning pose questions for Pfizer pill (2022, May 9) retrieved 1 February 2024 from <https://medicalxpress.com/news/2022-05-rare-cases-covid-pose-pfizer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.