


Neuroscientists illuminate how brain cells deep in the cortex operate in freely moving mice

November 28 2022







Credit: Nature Methods (2022). DOI: 10.1038/s41592-022-01688-9

How does the brain produce behavior? Studying the brain during behavior is most informative when the animal is free to interact with its environment in any way it chooses. This requires small head-mounted devices that provide access to the brain, but that do not interfere with the animal's behavior.

"We are interested in how freely behaving animals use vision to make decisions in their <u>everyday life</u>, and as many of the <u>brain cells</u> that are thought to be involved in this process are located deep in the <u>visual</u> <u>cortex</u>, we made a very light-weight head-mounted microscope that can measure activity from these neurons but does not interfere with the animal's behavior. We have made a large step towards finally imaging <u>brain activity</u> deep in the cortex of animals performing natural visual-based behaviors," said Jason Kerr, director of the Dept. of Behavior and Brain Organization, Max Planck Institute for Neurobiology of Behavior (MPINB), Bonn, Germany.

In the study that is published today in *Nature Methods*, the MPINB researchers developed a miniature 2-gram three-photon excitation microscope which delivers a number of firsts. For the first time, it is now possible to image <u>neural activity</u> on a single-cell level from all cortical layers without having to interfere with the animal's behavior, made possible by a remote focusing mechanism. Its <u>modular design</u> also offers a high-resolution configuration which allows for functional recordings from neuronal somata and dendrites.

Another important feature is that, due to a modified detector system, the microscope can be used in fully lit conditions. "The robustness of our new miniature microscope to ambient light allows us to image the brain's



activity while the animal is having access to its full sensory repertoire. We can now study visually guided natural behavior like prey hunting and predator avoidance" says Alexandr Klioutchnikov, first author of the study.

To confirm range and stability of the new miniature three-photon microscope, the team imaged from the deep cortical layers 4 (L4) and 6 (L6) while mice were freely exploring an arena. It turned out that L4 and L6 neurons were differentially modulated depending on the environmental light.

As the microscope can easily be mounted again at the exact same position, the same neuronal populations can be imaged in follow-up sessions spread over days. This opens up the possibility to monitor changes in the brain's activity, for example while the animal is learning.

More information: Jason Kerr, A three-photon head-mounted microscope for imaging all layers of visual cortex in freely moving mice, *Nature Methods* (2022). DOI: 10.1038/s41592-022-01688-9

Provided by Max Planck Institute for Neurobiology of Behavior - caesar

Citation: Neuroscientists illuminate how brain cells deep in the cortex operate in freely moving mice (2022, November 28) retrieved 22 December 2023 from https://medicalxpress.com/news/2022-11-neuroscientists-illuminate-brain-cells-deep.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.