

# How to obtain and use the 'angel' therapeutic Naloxone

July 18 2017, by Elizabeth Adams

---

It's a terrifying scenario that's become all-too-real in the age of the opioid epidemic: a person lying lifeless, not breathing, because of an opioid overdose.

According to the Kentucky Office of Drug Control Policy, the rates of [opioid overdose](#) deaths continue to rise in Kentucky. More than 1,400 people in the state died of a [drug overdose](#) in 2016, and the largest demographic of impact was people between the ages of 35 and 44.

No one wants to encounter someone on the brink of death because of an opioid overdose. But many spouses, roommates, caregivers, parents and safety officials will come across an unconscious patient and need to know life-saving measures.

Thanks to [naloxone](#)—the "angel" therapeutic that reverses the effects of opioid overdose—we are able to save more lives from an overdose tragedy. Like learning CPR skills and accessing an AED, knowing naloxone administration skills can give someone another chance at life. Anyone in regular contact with a person using opioids, whether for legitimate medical or nonmedical purposes, should know how to access a naloxone kit and how to dispense the drug in an overdose emergency.

Overdose victims cannot help themselves when they are incapacitated—they need a rescuer. Here are a few basic facts about naloxone and how to administer the medication during an overdose:

**What does naloxone do?** Naloxone is a medication that counteracts the effects of a life-threatening overdose of opioids. The medication blocks the effects of opiates on the respiratory system, allowing the victim to breathe again. Naloxone does not block any other medication. You cannot abuse Naloxone and its effects wear off in about 20 minutes.

**Who can access a naloxone kit?** According to the Kentucky Board of Pharmacy, anyone with a history of [opioid poisoning](#) or [opioid abuse](#), an opioid naïve person receiving a first-time methadone prescription or a person on a high-dose opioid prescription can receive a naloxone kit. Additionally, any person or agency can voluntarily request a kit. Pharmacists will train recipients on procedures for safe administration.

**What are the signs of opioid overdose?** A person experiencing an [opioid overdose](#) will be completely unconscious or unresponsive to outside stimulus. They will become limp and unable to talk. People with lighter skin will turn a bluish purple tone and darker skin will turn ash-gray. Their breathing will be shallow, erratic or stopped completely.

**What should I do in an overdose emergency?** First, before you do anything, call 911 or have a bystander call. Narcan is administered as a nasal spray. Spray directly in the nostrils of the victim, you cannot give an overdose. You may repeat every 30 to 45 seconds, alternating nostrils. For the prefilled syringe version of naloxone, assemble the syringe and spray half the formula in one nostril and half the formula in the other nostril. Another formulation of naloxone, such as the intramuscular injection, should be administered in the thigh. Consult with a pharmacist about specific instructions for dispensing.

If you are interested in more information about dispensing Naloxone, consider a community training available through <https://kyhrc.org/get-a-naloxone-kit>.

Provided by University of Kentucky

Citation: How to obtain and use the 'angel' therapeutic Naloxone (2017, July 18) retrieved 15 April 2023 from <https://medicalxpress.com/news/2017-07-angel-therapeutic-naloxone.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.