

Endocrine therapy-induced alopecia seen in breast cancer

April 12 2018



(HealthDay)—For patients with breast cancer, endocrine therapy-

induced alopecia (EIA) has a pattern that is similar to androgenetic alopecia, according to a study published online April 11 in *JAMA Dermatology*.

Azael Freites-Martinez, M.D., from the Memorial Sloan Kettering Cancer Center in New York City, and colleagues conducted a [retrospective cohort study](#) to characterize EIA in 112 patients with [breast cancer](#), diagnosed with EIA from Jan. 1, 2009, to Dec. 31, 2016.

The researchers found that in 67 and 33 percent of patients, alopecia was attributed to aromatase inhibitors and tamoxifen, respectively. Ninety-two percent of patients had grade 1 severity, and the pattern was similar to [androgenetic alopecia](#). At baseline, the predominant trichoscopic feature was the presence of vellus hairs and intermediate- and thick-diameter terminal hair shafts. There was a negative impact on quality of life; according to the Hairdex score, there was a higher effect in the emotion domain. Eighty percent of the 46 patients assessed for response to minoxidil had moderate or significant improvement in alopecia after treatment.

"Endocrine therapies are associated with a pattern alopecia similar to androgenetic-type, consistent with the mechanism of action of causal agents," the authors write. "A significant negative impact on quality of life was reported by patients, despite mostly mild alopecia severity."

Several authors disclosed financial ties to the pharmaceutical industry.

More information: [Abstract/Full Text Editorial \(subscription or payment may be required\)](#)

Copyright © 2018 [HealthDay](#). All rights reserved.

Citation: Endocrine therapy-induced alopecia seen in breast cancer (2018, April 12) retrieved 24 December 2022 from <https://medicalxpress.com/news/2018-04-endocrine-therapy-induced-alopecia-breast-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.