

60-day mortality not significantly lower with ECMO in ARDS

May 25 2018



(HealthDay)—For patients with very severe acute respiratory distress

syndrome (ARDS), 60-day mortality is not significantly lower with venovenous extracorporeal membrane oxygenation (ECMO) than with continued conventional treatment, according to a study published online in the May 24 issue of the *New England Journal of Medicine*.

Alain Combes, M.D., Ph.D., from the Sorbonne Université in Paris, and colleagues randomized [patients](#) with very severe ARDS to receive immediate venovenous ECMO (124 patients) or continued conventional treatment (125 patients). Patients in the [control group](#) who had refractory hypoxemia could cross over to ECMO.

The researchers found that 35 and 46 percent of patients in the ECMO and [control](#) groups, respectively, had died at 60 days (relative risk, 0.76; 95 percent confidence interval, 0.55 to 1.04; P = 0.09). In 28 percent of the control group, crossover occurred at a mean of 6.5 ± 9.7 days after randomization; 57 percent of these patients died. There was no significant difference between the groups in the frequency of complications, except that there were more bleeding events leading to transfusion, more cases of severe thrombocytopenia, and fewer cases of ischemic stroke in the ECMO versus the control group.

"Among patients with very severe ARDS, 60-day mortality was not significantly lower with ECMO than with a strategy of conventional mechanical ventilation that included ECMO as rescue therapy," the authors write.

Several authors disclosed financial ties to the pharmaceutical, medical device, and technology industries.

More information: [Abstract/Full Text \(subscription or payment may be required\)](#)
[Editorial \(subscription or payment may be required\)](#)

Copyright © 2018 [HealthDay](#). All rights reserved.

Citation: 60-day mortality not significantly lower with ECMO in ARDS (2018, May 25)
retrieved 13 February 2024 from <https://medicalxpress.com/news/2018-05-day-mortality-significantly-ecmo-ards.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.