

# Lack of toothbrushing for seniors in nursing homes is a serious health risk

September 18 2019, by Frank Scannapieco



Toothbrushing for older people in nursing homes is an important part of good care. Credit: [Toa55/Shutterstock.com](https://www.shutterstock.com/Toa55)

Elderly people in nursing homes often go without a good toothbrushing.

While it might be icky to imagine the horrible way that feels to the oldsters, there are consequences worse than grossness. The mouth and other parts of the oral cavity are a gateway into the body, allowing bacteria inside our bodies that can cause serious disease.

This lack of basic care is big issue for seniors in nursing homes, who number about [1.3 million](#). It is an example of serious challenges that these facilities face in keeping people healthy. One recent study published in *Special Care in Dentistry* in 2017 found that only [10.3% of patients](#) admitted to a nursing home over a five-year period utilized dental services within the home at least once during their stay.

A recent investigation by The New York Times into a [fatal fungus](#) in nursing homes highlighted one specific difficulty of patients in nursing homes, bringing their plight to the forefront. Even so, it's not exactly captured the attention of the presidential candidates.

I am a dentist and periodontist also trained in microbiology. About 30 years ago, I began to investigate how bacteria in the mouth could affect overall health. My colleagues and I determined, for example, that bacteria that cause pneumonia likely first stick to teeth before being aspirated, or inhaled, into the lungs, especially in vulnerable patients such as those who are intubated in intensive care units or who reside in nursing homes. In one study, we found that the bacteria cultured from the lungs of hospitalized patients with diagnosed pneumonia were [identical to those cultured](#) from the teeth of the same patients.

## No one's ideal residence

There is good documentation that [oral hygiene](#) in hospitalized and nursing home patients is often overlooked, deficient and sometimes ignored. The lack of care, including toothbrushing, has been ignored for years, in part because basic Medicare does not cover [dental care](#).

Thousands of people a day who are in nursing homes often [go without their teeth being brushed](#). The bacteria that arise as a result of the poor care often are [resistant to antibiotics](#), and contribute to infections that which are [commonly found in these places](#).

And, there is considerable [evidence](#) and general agreement that microbes that cause pneumonia in health care facilities can enter the lungs through the mouth to cause severe lung infections.

This problem will certainly worsen as the the population ages and more people will require nursing home care.

## Of oral biofilms and pneumonia

One of the best-documented connections between the oral cavity, which includes the teeth, tongue and gums, and overall health is pneumonia. A

substantial body of evidence suggests that [attention to oral hygiene can reduce the risk](#) for pneumonia. medical researchers against the idea that dental care is worth the cost in this setting?

This is especially well documented in the case of [hospital- and nursing home-acquired pneumonia](#), both common forms of pneumonia which kill many people and have a large economic impact. Bacteria first make a home in the mouth and then can be aspirated, or inhaled, into the lungs to cause serious infections.

The bacteria that normally reside in the mouth grow as dental plaque, a [biofilm](#) that firmly attaches to teeth and oral surfaces such as the tongue. Dental plaque is difficult to remove, and the bacteria within them are [more resistant](#) to anti-microbial rinses.

While toothbrushing and flossing help, the best way to remove biofilm like dental plaque is for a professional such as a dentist or hygienist to remove it with sharp instruments or [ultrasonic scalers](#). This mostly does not happen since payment for such services are [mostly not covered](#) by medical insurance. Various interventions have been explored and show promise, including nurse-assisted toothbrushing, oral rinses such as [chlorhexidine](#) and [betadine](#) and topical antibiotics.

For toothbrushing and flossing to work, they must be performed meticulously several times a day.

Older patients are often too sick to do this themselves, or they may not do it well enough. While nurses and nursing aids can perform this task, they are often overwhelmed doing other things, and they themselves may not be sufficiently practiced to this task well. Performing effective oral hygiene is quite difficult and time consuming. It is also often unpleasant due to the fact that oral biofilms often produce unpleasant odors, and may contain food debris.

As a result, oral hygiene is at best performed mostly inadequately for these patients, and at worst, not performed at all.

As a practitioner and researcher, I find it frustrating that proposals to study more effective methods to improve hygiene in older people are almost always passed over by granting agencies. The reasons for this are not clear, but I wonder if there is bias from

There are some glimmers of hope. A number of scientific studies have been published to document how implementation of oral care strategies can reduce the level of serious infections such as pneumonia. One [recent study](#) found that enhanced oral care before surgery and on the units, along with other tasks such as enhanced management of tubes inserted into the trachea, and appropriate stress ulcer medication, statistically reduced [pneumonia](#) rates over a four-year period. Such outcomes require widespread attention not only by caregivers such as nurses, but also by attending physicians, managers and ultimately insurance providers.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

APA citation: Lack of toothbrushing for seniors in nursing homes is a serious health risk (2019, September 18) retrieved 8 December 2022 from <https://medicalxpress.com/news/2019-09-lack-toothbrushing-seniors-nursing-homes.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*