

Both simple and advanced imaging can predict best stroke patients for thrombectomy

22 January 2020, by Deborah Mann Lake



Amrou Sarraj, MD, of McGovern Medical School at UTHealth, is leading national stroke trials on endovascular therapy. Credit: Maricruz Kwon, UTHealth

Both simple and advanced computed tomography (CT) were effective in accurately predicting which stroke patients would benefit from endovascular thrombectomy to remove a large cerebral clot, but together they were even better, reported researchers at The University of Texas Health Science Center at Houston (UTHealth).

Results of the multicenter study, Optimizing Patient Selection for Endovascular Treatment in Acute Ischemic Stroke (SELECT), were published in yesterday's Early View edition of the *Annals of Neurology*.

Stroke is the leading cause of long-term disability and fourth-leading cause of death in the world. An isschemic stroke, caused by a blockage of an artery, is the most common form. Endovascular thrombectomy can be performed to remove a clot

lodged in a blood vessel with a mechanical device threaded through an artery. It has been shown to be an <u>effective treatment</u> for improving <u>clinical</u> <u>outcomes</u> in stroke up to 24 hours from onset.

"Endovascular thrombectomy has revolutionized the treatment for acute <u>stroke patients</u> presenting with large vessel occlusion. Different imaging techniques are used to identify patients who may benefit from this treatment. However, how these imaging profiles correlate with each other and with the stroke outcomes is unknown," said Amrou Sarraj, MD, lead author and associate professor of neurology at McGovern Medical School at UTHealth.

Imaging must be done to determine the location of the clot and whether the patient is a good candidate for thrombectomy, meaning they have a smaller area of brain tissue death. Physicians use non-contrast simple CT and/or CT with an injected contrast dye (CT perfusion) to view the clot and surrounding area of cellular death. While simple CT is readily available at most hospitals, CT perfusion tends to be only available at more advanced stroke centers.

Of the 361 patients enrolled, a significant proportion of patients had favorable imaging results on both the CT and CT perfusion, meaning they were candidates for endovascular thrombectomy. Those patients also had significantly higher odds of receiving endovascular therapy and higher 90-day functional independence rates after recovery (58%).

Even when the two imaging modalities disagreed, the functional and safety outcomes were reasonable (38% achieved functional independence), which was better than the patients who did not receive thrombectomy. Patients with an



unfavorable result on CT perfusion imaging, but favorable on simple CT, had higher rates of symptomatic hemorrhage in the brain tissue and death after <u>stroke</u>. Patients with unfavorable imaging profiles on both modalities had very poor outcomes.

"While best outcomes were observed in patients with a favorable profile on both imaging modalities, patients who had a favorable profile on at least one imaging modality also achieved reasonable outcomes," said Sarraj, who sees patients at UT Physicians, the clinical practice of McGovern Medical School, and is an attending neurologist at Memorial Hermann-Texas Medical Center.

The ongoing international Phase III randomized controlled trial, SELECT2, also led by Sarraj, will assess the efficacy and safety of thrombectomy procedure in patients with unfavorable profile on one or both imaging modalities. The SELECT trials are funded by grants from Stryker Neurovascular.

More information: Amrou Sarraj et al, Optimizing Patient Selection for Endovascular Treatment in Acute Ischemic Stroke (SELECT): A Prospective, Multicenter Cohort Study of Imaging Selection, *Annals of Neurology* (2020). DOI: 10.1002/ana.25669

Provided by University of Texas Health Science Center at Houston

APA citation: Both simple and advanced imaging can predict best stroke patients for thrombectomy (2020, January 22) retrieved 27 July 2022 from https://medicalxpress.com/news/2020-01-simple-advanced-imaging-patients-thrombectomy.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.