

Women older than 75 may not reap death benefit from continued mammography screening

February 25 2020



Credit: CC0 Public Domain

Healthy women over the age of 75 years might not benefit from continuing breast cancer screening. Researchers used data from the Medicare program to estimate the risk of breast cancer mortality under

two strategies: continuing versus stopping screening in older women. They found a small mortality benefit for continuing to screen women between the ages of 70 to 74, but not those between 75 to 84. Findings from this population-based observational study are published in *Annals of Internal Medicine*.

An important question in cancer screening is the age at which it should stop. At some age, the modest potential harms associated with screening will outweigh the benefits because the latter accrue in the future. Researchers from the Harvard T.H. Chan School of Public Health, the Massachusetts General Hospital, and RTI Health Solutions used Medicare data to compare deaths from breast cancer over eight years follow-up in [women](#) who continued getting yearly mammograms and those who stopped screening. More than one million women between the ages of 70 and 84 years who had a mammography, a [life expectancy](#) of at least 10 years, and no previous cancer diagnosis were included in the evaluation. The researchers found that continuing [breast cancer screening](#) would reduce 8-year breast cancer mortality by one death per 1,000 women, with the 95 percent confidence interval (CI) ranging from two deaths to none. In contrast, continuing to screen women 75 years or older does not seem to affect 8-year breast cancer mortality. Regardless of age, women were less likely to receive aggressive therapies (radical mastectomy, chemotherapy) for breast cancer if they continued screening.

According to an editorial by Otis Brawley, MD, from Johns Hopkins University, the study's main disadvantage is that it uses data gathered between 1999 and 2008 when digital mammography was being introduced. It is basically the standard today. One-third of American women who die of breast [cancer](#) are diagnosed after age 70. These current estimates of the benefits of screening in this age range also reflect the current [breast cancer](#) treatments used in women over 70 potentially more than it does on the limitations of mammography.

More information: Xabier García-Albéniz et al. Continuation of Annual Screening Mammography and Breast Cancer Mortality in Women Older Than 70 Years, *Annals of Internal Medicine* (2020). [DOI: 10.7326/M18-1199](https://doi.org/10.7326/M18-1199)

Provided by American College of Physicians

Citation: Women older than 75 may not reap death benefit from continued mammography screening (2020, February 25) retrieved 23 February 2023 from <https://medicalxpress.com/news/2020-02-women-older-reap-death-benefit.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.