

Heart woes spur partial stop of malaria drug study for virus

April 13 2020, by Marilyn Marchione



In this Thursday, April 9, 2020 file photo, a chemist displays hydroxychloroquine tablets in New Delhi, India. Scientists in Brazil have stopped part of a study of the malaria drug touted as a possible coronavirus treatment after heart rhythm problems developed in one-quarter of people given the higher of two doses being tested. Chloroquine and a similar drug, hydroxychloroquine, have been pushed by President Donald Trump after some early tests suggested the drugs might curb coronavirus entering cells. (AP Photo/Manish Swarup, File)

Scientists in Brazil have stopped part of a study of a malaria drug touted as a possible coronavirus treatment after heart rhythm problems developed in one-quarter of people given the higher of two doses being tested.

Chloroquine and a newer, similar [drug](#) called hydroxychloroquine, have been pushed by President Donald Trump after some very small, early tests suggested the drugs might curb the virus from entering cells. But the drugs have long been known to have potentially [serious side effects](#), including altering the heartbeat in a way that could lead to [sudden death](#).

The Brazilian study, in the Amazonian city of Manaus, had planned to enroll 440 severely ill COVID-19 patients to test two doses of chloroquine, but researchers reported results after only 81 had been treated.

One-fourth of those assigned to get 600 milligrams twice a day for 10 days developed [heart rhythm problems](#), and trends suggested more deaths were occurring in that group, so scientists stopped that part of the study.

The other group was given 450 milligrams twice a day on the first day then once a day for four more days. That is closer to what's being tried in some other studies including some in the United States. It's too soon to know whether that will prove safe or effective; the Brazil study had no comparison group that was getting no treatment.

Only one participant in the Brazil study had no signs of the virus in throat swabs after treatment, researchers noted.

The results from the Brazil study were posted on a research website and

have not yet been reviewed by other scientists.

Complicating matters is that all patients in the study also received two antibiotics, ceftriaxone and azithromycin. The latter also can have side effects on the heart. Trump has touted the hydroxychloroquine-azithromycin combination.

Brazil's President Jair Bolsonaro has repeatedly touted the benefits of chloroquine and azithromycin without evidence. He said at one point he heard reports of 100% effectiveness when administered in the correct dosages, zeroed tariffs for import of the drugs, and late last month announced military labs were ramping up their chloroquine production.

© 2020 The Associated Press. All rights reserved. This material may not be published, broadcast, rewritten or redistributed without permission.

Citation: Heart woes spur partial stop of malaria drug study for virus (2020, April 13) retrieved 13 February 2024 from

<https://medicalxpress.com/news/2020-04-heart-woes-spur-partial-malaria.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.