

# Brain stimulation may increase control of emotional actions

22 October 2020



Credit: CC0 Public Domain

To function well in society, people must be able to control their emotional reactions from time to time. This usually goes well, but this control can fail, for example with aggressive behavior in traffic or in people with social anxiety that have a strong tendency to avoid social situations. Brain stimulation may help to improve control over this automatic behavior. This is what brain researchers from the Donders Institute at Radboud University show in a new publication in *eLife* on October 27.

The results could be relevant for future treatment of psychological disorders in which people have reduced control over behavior that follows from emotions, such as in social anxiety and aggression related disorders.

## Happy and angry faces

Neuroscientists often measure the degree of control people have over their emotional behavior by using a computer task in which people are shown pictures of angry and happy faces that they can approach or avoid by pulling or pushing a joystick toward or away from themselves. Our

natural tendency is to push angry faces away from us (avoid) and pull happy faces toward us (approach).

Changing this natural behavior—approaching angry faces and avoiding happy ones—requires control over these automatic emotional actions. "This might seem trivial," says neuroscientist Bob Bramson, "but it has been previously shown that people with social anxiety are significantly worse at controlling these action tendencies, and that the degree to which someone can exercise control predicts how they can cope with stress in everyday life. Successfully controlling emotional behavior involves the prefrontal cortex (the most frontal region of our brain) and parts of the motor cortex, where communication between the two areas seems to play a crucial role."

# Improving communication with brain stimulation

The researchers have succeeded in improving communication between these two <u>brain areas</u> by means of electrical brain stimulation applied via electrodes on the head (Transcranial Alternating Current Stimulation; tACS). In doing so, they synchronize different brain waves, or neural oscillations between these two areas.

The researchers have seen that the subjects who reacted more strongly to the brain stimulation also improved at the task of controlling their emotional actions. "Because this brain stimulation manipulation improves control in healthy subjects, we are hopeful that it could also work for people with <u>social anxiety</u>, which we are currently testing," says Bramson.

#### Knowing what you're doing

How well people respond to tACS depends on various things, such as the thickness of the skull. For this reason, the researchers placed the



subjects in an MRI scanner while they stimulated the brain, so they could measure brain activity during stimulation with tACS. That allowed them to distinguish people who responded to the <a href="mailto:brain">brain</a> stimulation from those who did not.

Bramson concludes, "Another benefit of measuring the effects of stimulation in the brain is that we could also observe responses in distributed networks that did not receive direct stimulation. For instance, we observed changes throughout emotion related networks in response to stimulation. In the future these insights and methods can be used to use stimulation in a more mechanistically informed way, potentially increasing its effectiveness."

**More information:** Bob Bramson et al. Improving emotional-action control by targeting long-range phase-amplitude neuronal coupling, *eLife* (2020). DOI: 10.1101/2020.06.04.129569

## Provided by Radboud University

APA citation: Brain stimulation may increase control of emotional actions (2020, October 22) retrieved 8 June 2022 from <a href="https://medicalxpress.com/news/2020-10-brain-emotional-actions.html">https://medicalxpress.com/news/2020-10-brain-emotional-actions.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.