

Quantity, content, and context of social media use may affect adolescents' sleep

November 3 2020



Credit: CC0 Public Domain

A new study published in the *Journal of Adolescent Health* found that checking social media often, viewing emotional or violent videos, and starting to use social media at an early age were significantly related to

later bedtimes and fewer hours of sleep on school nights for early adolescents. Parental rules restricting mobile phone and online use before bed and obtaining a smartphone at a later age were associated with increased sleep duration and earlier bedtimes.

"We need to move beyond the sole focus on the amount of time adolescents spend on technologies before bed," said the study's lead author Linda Charmaraman, Ph.D., director of the Youth, Media and Wellbeing Research Lab at the Wellesley Centers for Women (WCW). "Understanding the [bedtime](#) habits and online content that negatively affect sleep helps us design more effective interventions for parents and practitioners to encourage healthier social technology use. This study is a first step in that direction."

As part of the Adolescent Social Media Use, Health, and Parental Monitoring Study, Charmaraman and her co-authors surveyed 772 6-8th grade students from four schools in the Northeast U.S. between February and June 2019. The survey asked questions about [social media](#), internet, and phone use, content of websites and social [media](#) posts, behaviors within one hour of bedtime, bedtime, sleep duration, and phone/screen restrictions put in place by parents.

Controlling for potential confounding factors such as gender, age, race/ethnicity, two-parent household, and eligibility for free or reduced price lunch, the researchers found that more frequently engaging in checking social media, problematic internet behaviors, fear of missing out (FoMO), problematic digital technology use, and watching more emotional or violent videos were significantly related to later bedtimes and fewer hours of sleep on a typical school night. Participants who acknowledged losing sleep because they couldn't quit online activities went to bed later and slept less. Seeing posts related to a thin ideal weight was significantly associated with reduced sleep, and seeing messages related to drugs/drinking was significantly related to later bedtimes.

Watching YouTube videos before sleep was related to later bedtimes and reduced sleep; checking social media before bed was related to later bedtimes. Reading books was the only bedtime behavior associated with an earlier bedtime.

"Reduced sleep is associated with many adverse physical, emotional, and educational outcomes," said Elizabeth B. Klerman, M.D., Ph.D., of the Massachusetts General Hospital, senior author of the study. "The results of this study provide evidence of modifiable factors that negatively affect [sleep duration](#). Individuals (e.g., children, parents, practitioners, teachers) and communities can work to change behaviors that affect sleep."

More information: Linda Charmaraman et al, Quantity, Content, and Context Matter: Associations Among Social Technology Use and Sleep Habits in Early Adolescents, *Journal of Adolescent Health* (2020). [DOI: 10.1016/j.jadohealth.2020.09.035](https://doi.org/10.1016/j.jadohealth.2020.09.035)

Provided by Wellesley Centers for Women

Citation: Quantity, content, and context of social media use may affect adolescents' sleep (2020, November 3) retrieved 13 May 2023 from <https://medicalxpress.com/news/2020-11-quantity-content-context-social-media.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.