

# US releases new data on Moderna vaccine, paving way for approval

December 15 2020, by Issam Ahmed

---



A a syringe and a bottle reading "Vaccine Covid-19" next to the Moderna biotech company logo

The US regulator on Tuesday released new data confirming Moderna's COVID-19 vaccine was safe and effective, a strong sign that it could

receive emergency approval in days and be ready to roll out by next week.

The Food and Drug Administration said there were "no specific safety concerns identified that would preclude issuance of an EUA (emergency use authorization)" and confirmed an overall efficacy of 94.1 percent.

Distribution of the Pfizer-BioNTech vaccine began on Monday and if the FDA green lights Moderna's, rollout of some six million doses could start next Monday.

That would represent a powerful second weapon in the country with the world's biggest outbreak of the virus, where more than 300,000 people have died and a winter surge is raging.

Also Tuesday, the FDA announced it had approved the first at-home rapid COVID-19 test, which will be available without prescription and return results in about 20 minutes.

But supply of the test, made by California-based Ellume, will initially be limited, with just three million units expected in January.

## **Stops severe cases**

The FDA document on the Moderna vaccine offered the clearest look yet into the two-dose regimen, co-developed with the National Institutes of Health (NIH).

Moderna began working on the vaccine in January and has received \$2.5 billion in federal funds.

On Thursday, an independent group of scientists will convene to debate everything known so far about the product.

The panel is expected to vote in favor of an EUA, and the FDA normally heeds its recommendations.

According to the new data, the shots protected younger people slightly better than older people.

In a clinical trial of 30,400 people, 196 fell ill with COVID-19 by November 21—11 in the vaccine group and 185 in the placebo group.

Efficacy was 95.6 percent for people aged 18-65; 86.4 percent among those aged 65 and older; and 94.1 percent overall.


Importantly, of 30 cases of severe COVID-19, all occurred in the placebo group.

The FDA also looked at detailed safety data at a median of nine weeks after participants received the second shot, 28 days after the first.

# Triggering immunity from genetic code

The Pfizer-BioNTech vaccine is a **nucleic-acid\* vaccine**. It uses lab-made SARS-CoV-2 messenger RNA (mRNA) to trigger an immune response

## Nucleic-acid vaccines



\*The cell's main information-carrying molecules, which direct protein production

Source: Vaccine pipeline/Nature journal/pfizer.co.uk/modernatx.com

Triggering immunity from genetic code

## **Cutting-edge technology**

The most common side effects associated with the drug, called mRNA-1273, were injection site pain in roughly 90 percent of cases; fatigue in 70 percent, headache in 60 percent, muscle pain in 60 percent, joint pain in 45 percent and chills in 45 percent.

Few of these effects were classed as "severe" and, when they were, that tended to occur more in the young than in the old.

Lymphadenopathy, or swollen lymph nodes, occurred in 1.1 percent of the vaccine group against 0.6 percent of the placebo group.

There was an imbalance in allergic reactions, which occurred in 1.5 percent of the vaccinated population compared to 1.1 percent of the non-vaccinated.

But none were classed as severe or anaphylactic.

The frequency of life-threatening events was low, around one percent in each group, with no suggestion the vaccine was the cause.

To date, there have been three reports of Bell's palsy—a facial paralysis condition, most often temporary—in the vaccine group and one in the placebo group.

The Pfizer trial saw four people get Bell's palsy in the vaccine group, and

none in the placebo group.

The FDA said there was insufficient information to determine that either vaccine was the cause.

Andrew Morris, a University of Toronto professor of medicine who has studied the condition, said "it is becoming increasingly likely that there is an important relationship with Bell's (facial) palsy."

However, "the absolute risk—in light of the risks associated with COVID-19—is small," he stressed.

Both the Pfizer and Moderna vaccines use mRNA (messenger ribonucleic acid) molecules to cause human cells to express a surface molecule of the new coronavirus.

This simulates an infection and trains the immune system to be ready in case it encounters the real virus.

The mRNA is encased inside fatty particles.

Both companies used a slightly different formulation resulting in different cold-storage requirements: -70 degrees Celsius (-94 degrees Fahrenheit) for Pfizer; -20 degrees Celsius (-4 Fahrenheit) for Moderna.

Moderna has applied for approval in over-18s, while Pfizer's approval is for over-16s.

© 2020 AFP

Citation: US releases new data on Moderna vaccine, paving way for approval (2020, December 15) retrieved 15 February 2024 from <https://medicalxpress.com/news/2020-12-moderna-vaccine-paving.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.