

Should pregnant women get the COVID-19 vaccine? An immunologist answers 3 questions

24 December 2020, by William Petri



I am a physician, and I just got my first shot of the Pfizer COVID-19 vaccine. Credit: William Petri, [CC BY-SA](#)

This week, I was vaccinated against COVID-19 with the Pfizer mRNA vaccine, which brought to mind some frequently asked questions about the Pfizer and Moderna vaccines.

[I am a professor of infectious diseases](#) at the University of Virginia, where I care for patients with COVID-19 and conduct research on how best to prevent, diagnose and treat this new infection. As I interact with patients in the hospital, some mothers and expectant mothers have asked whether it is safe for them to take the vaccine. Here is what I have said to them.

1) Can I get vaccinated if I am pregnant or breastfeeding?

Yes, you can and should get a COVID-19 vaccine if you are either pregnant or breastfeeding.

An important reason is that COVID-19 is more severe during pregnancy. [In a study of 23,000 pregnant women with symptomatic COVID-19](#), the Centers for Disease Control and Prevention reported pregnant women were 3 and 2.9 times more likely to end up in the ICU or on mechanical ventilation, respectively. I find it reassuring, though, that the absolute risk remains low. [Only about one out of 100 pregnant women](#) with COVID-19 is admitted to an ICU.

Vaccines are, in general, [safe and well tolerated during pregnancy](#).

Neither the Pfizer nor Moderna COVID-19 vaccine contains the live SARS-CoV-2 virus, so there is no risk of the pregnant woman or her fetus developing COVID-19. These vaccines are safe for another reason. The mRNA used in both vaccines to stimulate a protective immune response never enters the nucleus of a cell. That means it doesn't interact with the DNA that encodes the human genome of the mother or fetus.

The caveat is that safety data is lacking for the COVID-19 vaccines, because pregnant women were intentionally excluded in the phase 3 studies of the [Moderna](#) and [Pfizer](#) vaccines.

In the absence of clinical trial data on the Pfizer and Moderna vaccines in pregnant and breastfeeding women, but with the expectation that these vaccines should be safe in these populations, [both the CDC](#) and the [American College of Obstetricians and Gynecologists](#) have recommended that vaccination be a personal decision of [women](#) who are pregnant.

For [pregnant women](#) who decide to be vaccinated, any fever associated with vaccination should be treated with acetaminophen, since fever has been associated with adverse pregnancy outcomes.

There is [no concern that the vaccines will interfere with lactation](#) and no reason not to be vaccinated if you are breastfeeding.

2) Will I be protected from asymptomatic infection?

Initial data shows 60% protection from asymptomatic infection after the first dose of the Moderna mRNA vaccine. It is likely Pfizer will also protect from asymptomatic infection, but this has not yet been shown. This means that your risk of getting an asymptomatic infection is reduced by more than half after the first dose of the Moderna vaccine.

Subjects in the phase 3 study had nasal swabs taken at the time of the second dose of the vaccine. Of these, 14 of the 15,000 volunteers in the vaccine group and 38 of 15,000 subjects in the [placebo group](#) experienced SARS-CoV-2 infection without symptoms—which is called asymptomatic COVID-19.

This is evidence that [asymptomatic infections are being prevented](#) even after only the first dose. This is wonderful news, as [vaccine](#)-induced protection from asymptomatic [infection](#) will facilitate herd immunity and the end of the pandemic.

3) Will new versions of the SARS-CoV-2 virus succumb to the vaccine?

Fortunately all of the versions of the SARS-CoV-2 virus identified to date are [neutralized by the COVID-19 vaccines](#).

The primary way that these vaccines act is by preventing the spike protein on the exterior of the [coronavirus](#) from attaching to the ACE2 protein on human cells.

The vaccines do this by triggering the human immune system to produce anti-spike antibodies that attach to the spike protein whenever they

encounter it and neutralize the virus.

All 17 versions of the virus tested so far have been neutralized, including the variant that is most common in the United States.

The [new variant in the United Kingdom](#) that is likely more easily spread person to person is also unlikely to evade the new vaccines, despite the presence of mutations in the spike glycoprotein. This is in part due to the fact that there are multiple sites on the spike protein that antibodies can target to neutralize the virus. This is being formally tested now.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

APA citation: Should pregnant women get the COVID-19 vaccine? An immunologist answers 3 questions (2020, December 24) retrieved 11 June 2021 from <https://medicalxpress.com/news/2020-12-pregnant-women-covid-vaccine-immunologist.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.