


# Prenatal BPA exposure may contribute to the male bias of autism spectrum disorder

19 January 2021



Prenatal exposure to BPA disrupts ASD-candidate genes involved in neuronal viability, neuritogenesis, and learning/memory. Changes in the expression of these genes are correlated in a sex-dependent manner with disruptions in neuronal characteristics and behaviors that occur in response to BPA. Credit: Surangrat Thongkorn et al

A new study by researchers from Chulalongkorn University, Tohoku University, and The George Washington University is the first to identify autism candidate genes that may be responsible for the sex-specific effects of bisphenol A (BPA) on the brain. It suggests BPA may serve as an environmental factor that contributes to the prevalence of male bias in autism spectrum disorder (ASD).

The research was published in the journal *Scientific Reports*.

BPA is widely used in many products in our daily life and abundant in micro/nanoplastics found in the environment, food, or the human placenta. It is thought to be an environmental influence on ASD—a [neurodevelopmental disorder](#) characterized by impaired social communication,

restricted interests and repetitive behaviors. ASD is a major public health challenge around the world, with roughly one in 54 children in the United States being diagnosed.

"Many studies have shown BPA impairs neurological functions known to be disrupted in ASD, making scientists believe that BPA may be one of the key environmental risk factors for ASD. However, we still do not know how BPA can cause or increase the susceptibility of ASD and whether it also plays a role in the male bias of the disorder," said assistant professor Dr. Tawarit Sarachana, head of the SYstems Neuroscience of Autism and PSychiatric disorders (SYNAPS) Research Unit at the Faculty of Allied Health Sciences, Chulalongkorn University.

"In fact, one of our recent studies has demonstrated that [prenatal exposure](#) to BPA altered the expression of several ASD candidate genes in the hippocampus in a sex-dependent pattern, but the link between the dysregulation of ASD candidate genes and impaired neurological functions is still lacking."

"In this study, we showed exposure to BPA during the gestational period decreased neuronal viability and neuronal density in the hippocampus and impaired learning/memory in only the male offspring. Interestingly, the expression of several ASD-related genes in the hippocampus was dysregulated and showed sex-specific correlations with neuronal viability, neuritogenesis, and/or learning/memory. Under prenatal BPA exposure, these [genes](#) may play important roles in determining the risk of ASD and its higher prevalence in males," said Surangrat Thongkorn, a Ph.D. candidate and first author of the study.

"The sex differences in the effects of BPA found in our study strongly suggest that BPA negatively impacts the male and female offspring brain through different molecular mechanisms. We are

progressively working on these issues to identify the sex-specific molecular mechanism of BPA in the brain. Understanding the effects of BPA and its molecular mechanisms in ASD may lead to changes in the policy regarding the use of BPA or even the discovery of molecular targets for ASD treatment in the future," concluded Dr.Sarachana.

**More information:** Surangrat Thongkorn et al. Sex differences in the effects of prenatal bisphenol A exposure on autism-related genes and their relationships with the hippocampus functions, *Scientific Reports* (2021). [DOI: 10.1038/s41598-020-80390-2](https://doi.org/10.1038/s41598-020-80390-2)

Provided by Tohoku University

APA citation: Prenatal BPA exposure may contribute to the male bias of autism spectrum disorder (2021, January 19) retrieved 28 July 2022 from <https://medicalxpress.com/news/2021-01-prenatal-bpa-exposure-contribute-male.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*