

# Technology allows doctors to see beam field during radiation treatment

February 5 2021

---



Brian Pogue, PhD, and Lesley Jarvis, MD are part of the team at Dartmouth-Hitchcock's Norris Cotton Cancer Center to pioneer radiation beam vision cameras. Credit: Norris Cotton Cancer Center

Dartmouth's and Dartmouth-Hitchcock's Norris Cotton Cancer Center (NCCC) is the first cancer center in the world to install BeamSite

Cherenkov imaging cameras in its radiotherapy treatment rooms. The camera system, invented, validated and commercialized by entrepreneurs from NCCC and Dartmouth spinoff biomed tech company, DoseOptics, LLC, captures imaging and real-time video of the beam directly on the patient, allowing the radiation oncology team to visualize treatment delivery.

Cherenkov imaging makes [radiation treatment](#) a visual process. The Cherenkov effect occurs when photon or electron [radiation](#) beams interact with tissue, such as skin, producing a small light emission from the surface. BeamSite cameras can capture [images](#) of the treatment-beam shapes in real time, as well as show levels of intensity that are proportional to the [radiation dose](#). These visual data can be used to verify both accuracy of dose and of beam delivery at each daily treatment, a verification not possible using standard quality assurance measures.

"Cherenkov imaging provides visualization of the radiation therapy treatment, so that the treatment team can see everything, and make adjustments when unexpected things happen," explains Brian Pogue, Ph.D., co-director of the Translational Engineering in Cancer Research Program at NCCC, MacLean Professor of Engineering Sciences at Dartmouth Engineering and co-founder of DoseOptics, LLC. A joint engineering and oncology team reviewed events recorded in their Cherenkov imaging study over the course of a few years, during which they documented incidents when radiotherapy delivery was not ideal and the adjustments made to rectify. Their findings, "Initial Clinical Experience of Cherenkov Imaging in External Beam Radiation Therapy Identifies Opportunities to Improve Treatment Delivery," have been published in *The International Journal of Radiation Oncology, Biology, Physics*.

There were a total of 64 patients in the study, under the supervision of

radiation oncologist and lead author Lesley Jarvis, MD, Ph.D., Member of NCCC's Translational Engineering in Cancer Research Program and Associate Professor of Medicine at the Geisel School of Medicine at Dartmouth. The patients were receiving treatment for breast cancer, sarcoma, lymphoma and other cancers. Six patients were found to indicate that adjustments would have improved treatment, such as stray radiation dose exposure to the opposite breast, arm or chin during breast cancer treatments. The imaging system was also used to identify when inadvertent dose was not an issue, such as confirming no unintended exposure of the opposite leg during an extremity sarcoma treatment.

Radiation therapy is a repetitive procedure given to patients daily for about 30 days. Setting patients up on the treatment couch and daily alignment of the beam is a complex process. Beyond positional complications, the therapy team has to leave the room when the beam is on, so if anything happens during delivery, problem-solving tools are very limited. National statistics show that incidents of incorrect delivery might occur on a level of about 1%. In a busy clinic, this could mean one patient per week. "Normally the treatments are just fine," says Pogue. "However, if you cannot see where the beam is, then it is a blind treatment, and the interaction between patient and therapy team is just less natural than it could be if the treatment was visual."

NCCC is currently the only cancer center in the world with regular use of Cherenkov imaging in all radiotherapy treatments, and was uniquely positioned for clinical research teams to test out these cameras for the planned study. Cherenkov imaging cameras have been installed in most linear accelerators within Dartmouth-Hitchcock, providing an extra level of safety during each patient's therapy session. "Cherenkov cameras mounted inside the radiotherapy treatment rooms give us the ability to simply see the treatment and provide an intuitive guide to therapists that we otherwise wouldn't have had," says Pogue. "This is a terrific tool for tracking what happens each day and in each treatment, and for

improving the quality of radiotherapy delivery."

DoseOptics' technology was developed through research at Dartmouth by Dartmouth faculty, who then licensed the product to the company. Pioneered at Dartmouth-Hitchcock, it is now expanding to other [cancer](#) centers. Since DoseOptics, LLC, received FDA clearance to market BeamSite in December of 2020, the team hopes all radiation oncology clinics will introduce the technology to their programs. "Clinics should have all the tools available to them to ensure that each treatment for each patient is accurate, and to be able to quickly notice issues and fix them," says Pogue.

**More information:** Lesley A. Jarvis et al, Initial Clinical Experience of Cherenkov Imaging in External Beam Radiation Therapy Identifies Opportunities to Improve Treatment Delivery, *International Journal of Radiation Oncology\*Biophysics* (2020). [DOI: 10.1016/j.ijrobp.2020.11.013](#)

Provided by Dartmouth-Hitchcock Medical Center

Citation: Technology allows doctors to see beam field during radiation treatment (2021, February 5) retrieved 12 February 2024 from <https://medicalxpress.com/news/2021-02-technology-doctors-field-treatment.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--