

# Prospective study finds light activity, such as gardening or walking, preserves women's mobility during aging

February 23 2021

---



Credit: CC0 Public Domain

One in four women over age 65 is unable to walk two blocks or climb a flight of stairs. Known as mobility disability, it is the leading type of

incapacity in the United States and a key contributor to a person's loss of independence. New research from Herbert Wertheim School of Public Health and Human Longevity Sciences at UC San Diego suggests that light-intensity physical activity, including shopping or a casual walk, may protect mobility in older women.

Published in the February 23, 2021 online issue of *JAMA Network Open*, researchers found that women who did not have a [mobility disability](#) at the start of the study, and who spent the most amount of time doing light-intensity activities, were 40 percent less likely to experience loss of mobility over a six-year period.

"Older adults who want to maintain their mobility should know that all movement, not just moderate-to-vigorous physical activity, counts," said senior author Andrea LaCroix, Ph.D., MPH, Distinguished Professor and chief of the Division of Epidemiology at Herbert Wertheim School of Public Health. "We found that, among [older women](#), light-intensity physical activity preserves mobility later in life."

The prospective study observed 5,735 women age 63 and older, living in the United States and enrolled in the Objectively Measured Physical Activity and Cardiovascular Health study, an ancillary study of the Women's Health Initiative. Participants wore a research-grade accelerometer for seven days to obtain accurate measures of their physical activity. The mean time spent in light physical activity was 4.8 hours per day.

Researchers found that women who spent the most time performing light-intensity physical activity had a 46 percent lower risk of mobility loss compared to women who participated in lower levels of physical activity. Similar results were observed among white, Black and Latinx women. Women with and without obesity also reduced their risk of mobility disability, but the benefit was strongest among women with a body mass

index (BMI) of less than 30.

"Moderate-to-vigorous physical activity is increasingly more difficult to perform as people age. Considering the [aging population](#) in the United States, these findings could have major impacts on public [health](#) recommendations, putting more focus on the importance of light physical activity to improve the health and well-being of older women. Doing so may help women maintain mobility and independence as they age," said co-author John Bellettiere, Ph.D., professor of epidemiology at Herbert Wertheim School of Public Health.

Adults in the United States age 65 and older struggle to meet physical activity guidelines, which recommend 150 minutes of moderate-to-[vigorous physical activity](#) per week. There is no available guidance on how much light activity people should do, largely because very few studies have investigated it. Study authors said their data suggests that light activity is likely important for maintaining mobility, which is essential for healthy aging. Older adults with mobility disability experience more hospitalizations and spend more on health care. Women bear a disproportionate burden of mobility disability.

"The highest levels of light-intensity physical activity are unnecessary. After five hours of activity, we observed no further increase in benefit," said first author Nicole Glass, MPH, a doctoral candidate in the San Diego State University/UC San Diego Joint Doctoral Program in Public Health. "In addition, our results showed that light-intensity physical activity was associated with preserved mobility regardless of the amount of higher-intensity physical activities, such as brisk walking, jogging or running, the [women](#) engaged in. So whether you exercise or not, higher light-intensity [physical activity](#) is healthy."

**More information:** Nicole L. Glass et al, Evaluation of Light Physical Activity Measured by Accelerometry and Mobility Disability During a

6-Year Follow-up in Older Women, *JAMA Network Open* (2021). [DOI: 10.1001/jamanetworkopen.2021.0005](https://doi.org/10.1001/jamanetworkopen.2021.0005)

Provided by University of California - San Diego

Citation: Prospective study finds light activity, such as gardening or walking, preserves women's mobility during aging (2021, February 23) retrieved 31 December 2023 from <https://medicalxpress.com/news/2021-02-prospective-gardening-women-mobility-aging.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.