

# Researchers urge greater awareness of delayed skin reactions to Moderna COVID-19 vaccine

4 March 2021



In correspondence published in *The New England Journal of Medicine*, researchers from Massachusetts General Hospital note that Phase 3 clinical data from the Moderna vaccine trial did show delayed skin hypersensitivity in a small number of the more than 30,000 trial participants. However, the authors say the large, red, sometimes raised, itchy or painful skin reactions were never fully characterized or explained, and they warn clinicians may not be prepared to recognize them and guide patients on treatment options and completion of the second dose of the vaccine. Credit: Massachusetts General Hospital

As the speed and scale of vaccinations against the SARS-CoV-2 virus ramps up globally, researchers at Massachusetts General Hospital (MGH) are calling for greater awareness and communication around a delayed injection-site reaction that can occur in some patients who have received the Moderna mRNA-1273 vaccine.

In a letter to the editor published online in *The New England Journal of Medicine (NEJM)*, the authors note Phase 3 [clinical data](#) from the Moderna vaccine trial did show delayed skin hypersensitivity

in a small number of the more than 30,000 trial participants. However, the authors say the large, red, sometimes raised, itchy or painful skin reactions were never fully characterized or explained, and they warn clinicians may not be prepared to recognize them and guide patients on treatment options and completion of the second dose of the vaccine.

"Whether you've experienced a rash at the injection site right away or this delayed [skin reaction](#), neither condition should prevent you from getting the second dose of the vaccine," says Kimberly Blumenthal, MD, MSc, lead author of the letter and co-director of the Clinical Epidemiology Program in the division of Rheumatology, Allergy and Immunology at MGH. "Our immediate goal is to make physicians and other care providers aware of this possible delayed reaction, so they are not alarmed, but instead well-informed and equipped to advise their patients accordingly."

In the letter, Blumenthal and her co-authors also note their own clinical observations of the delayed, large, local reactions to the Moderna vaccine, and report on a series of 12 patients with the reactions. In that group, symptom onset ranged from four days after the first dose up to 11 days post-vaccination, with a median onset of symptoms on day eight. Photographs show the varied size and severity of the reactions. Most patients were treated with ice and antihistamines, although some required corticosteroids and one was erroneously treated with antibiotics.

"Delayed cutaneous hypersensitivity could be confused—by clinicians and patients alike—with a skin infection," says letter co-author Erica Shenoy, MD, Ph.D., associate chief of the MGH Infection Control Unit. "These types of reactions, however, are not infectious and thus should not be treated

with antibiotics."

On average, symptoms cleared up after nearly a week for the group of 12 reported in the letter. Half of the patients went on to experience a reaction after the second dose—at or around 48 hours post-vaccination. No patient experienced a dose two reaction that was more severe than their dose one reaction.

The authors also say samples taken from skin biopsies confirmed their suspicion of a delayed allergic immune response that is commonly seen in drug reactions.

"For most people who are experiencing this, we believe it's tied to the body's [immune system](#) going to work," says Esther Freeman, MD, Ph.D., director of Global Health Dermatology at MGH and co-author of the NEJM letter. "Overall, this data is reassuring and should not discourage people from getting the [vaccine](#)."

**More information:** Kimberly G. Blumenthal et al, Delayed Large Local Reactions to mRNA-1273 Vaccine against SARS-CoV-2, *New England Journal of Medicine* (2021). [DOI: 10.1056/NEJMc2102131](#)

Provided by Massachusetts General Hospital

APA citation: Researchers urge greater awareness of delayed skin reactions to Moderna COVID-19 vaccine (2021, March 4) retrieved 4 June 2021 from <https://medicalxpress.com/news/2021-03-urge-greater-awareness-skin-reactions.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*