

# New study uncovers details behind the body's response to stress

June 18 2021

---



New research reveals how key proteins interact to regulate the body's response to stress. Credit: McLean Hospital

The biological mechanisms behind stress-related psychiatric conditions, including major depressive disorder and post-traumatic stress disorder

(PTSD), are poorly understood.

New research now details the interplay between proteins involved in controlling the body's [stress response](#) and points to potential therapeutic targets when this response goes awry. The study, which was conducted by an international team led by investigators at McLean Hospital, appears in the journal *Cell Reports*.

"A dysregulated stress response of the body can be damaging for the brain and promote susceptibility to mood and [anxiety disorders](#)," said lead author Jakob Hartmann, Ph.D.. Hartmann is an assistant neuroscientist in the Neurobiology of Fear Laboratory at McLean and an instructor in psychiatry at Harvard Medical School.

"A key brain region involved in the regulation of the stress response is the hippocampus," said Hartmann. "The idea for this study occurred to us when we noticed interesting distinctions in hippocampal localization of three important stress-regulating proteins."

The researchers' experiments in non-human tissue and postmortem brain tissue revealed how these proteins—the [glucocorticoid receptor](#) (GR), the mineralocorticoid receptor (MR), and the FK506-binding protein 51 (FKBP5)—interact with each other.

Specifically, MRs, rather than GRs, control the production of FKBP5 under normal conditions. FKBP5 decreases GRs' sensitivity to binding stress hormones during stressful situations. FKBP5 appears to fine-tune the stress response by acting as a mediator of the MR:GR balance in the hippocampus.

"Our findings suggest that therapeutic targeting of GR, MR, and FKBP5 may be complementary in manipulating central and peripheral regulation of stress," said senior author Kerry J. Ressler, MD, Ph.D.. Ressler is the

chief scientific officer at McLean Hospital, chief of McLean's Division of Depression and Anxiety Disorders, and a professor in psychiatry at Harvard Medical School.

"Moreover, our data further underline the important but largely unappreciated role of MR signaling in [stress](#)-related psychiatric disorders," added Ressler. "The findings of this study will open new directions for future research."

**More information:** Jakob Hartmann et al, Mineralocorticoid receptors dampen glucocorticoid receptor sensitivity to stress via regulation of FKBP5, *Cell Reports* (2021). [DOI: 10.1016/j.celrep.2021.109185](https://doi.org/10.1016/j.celrep.2021.109185)

Provided by McLean Hospital

Citation: New study uncovers details behind the body's response to stress (2021, June 18) retrieved 10 January 2023 from <https://medicalxpress.com/news/2021-06-uncovers-body-response-stress.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--