


# Machine-learning algorithms used to detect Alzheimer's during phone conversations

July 15 2021, by Bob Yirka



The whole process in the present study. Credit: Shimoda et al, 2021 (CC-BY 4.0, [creativecommons.org/licenses/by/4.0/](https://creativecommons.org/licenses/by/4.0/))

Researchers working at the Department of Public Health, McCann Healthcare Worldwide Japan Inc., has created three algorithms that can be used to detect Alzheimer's in patients as they engage in phone conversations. The group has written a paper outlining the algorithms and their effectiveness and have uploaded it to the open-access site *PLOS ONE*.

Despite world-wide efforts, there still is no cure for Alzheimer's disease, which impacts millions of people around the globe including approximately 5.8 million in the United States. Medical researchers have made inroads towards slowing its progression, however; which is why it is becoming more and more important to identify the disease early. Thus scientists have turned their attention to finding new ways to predict which people will get the disease. In this new effort, the researchers have turned to machine learning as an aid to diagnoses.

Prior research has shown that some of the early signs of Alzheimer's include speaking more slowly than normal and pausing more often during conversations. Some work is already being done to recognize such speech difficulties—one project by a team in Japan uses the Telephone Interview for Cognitive Status (TICS-J) test, where phone conversations are recorded and studied to see if there is slow or broken speech. In this new study, the researchers have replaced the humans listening and analyzing [phone conversations](#) with a computer running a machine-learning [algorithm](#).

Three different machine-learning algorithms were designed to study speech patterns. All were taught to identify signs of Alzheimer's using [voice recordings](#) from an ongoing dementia program in Japan. Other voice recordings were then used to test the algorithms, and the researchers found that they were on average as good or slightly better than TICS-J and did not return any false positives. The researchers suggest that their algorithms could be used to provide a cheaper and more accessible form of early Alzheimer's testing.

**More information:** Akihiro Shimoda et al, Dementia risks identified by vocal features via telephone conversations: A novel machine learning prediction model, *PLOS ONE* (2021). [DOI: 10.1371/journal.pone.0253988](#)

© 2021 Science X Network

Citation: Machine-learning algorithms used to detect Alzheimer's during phone conversations (2021, July 15) retrieved 5 February 2024 from

<https://medicalxpress.com/news/2021-07-machine-learning-algorithms-alzheimer-conversations.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.