


Equine hepatitis viruses help us understand human hepatitis C

March 2 2022



Cohort and study design. (A) For this study, we monitored five naturally infected horses for up to 94 weeks. Two of the horses cleared the infection within 8 weeks (horse A–B) and three horses were persistently infected (horse C–E) as indicated by RNA copy numbers (Loq, limit of quantification). (B) The serum of horse C, week 3 (red dot), was used to inoculate four EqHV-naïve equids which all developed an acute infection (horse F–I). Cohort A and B were previously characterized in (Pfaender et al. 2015, 2017). (C) Furthermore, we analyzed the course of HCV infected patients (K, L). Patient K received interferon and was monitored until sampling week 242. Patient L denied treatment and was monitored for 319 weeks. (D) Schematical representation of the structure of hepaciviruses. The genomic region for the surface glycoproteins E1 and E2 was



PCR-amplified, and the amplicons were deep-sequenced with a mean coverage of 5.3×10^4 (±SD 3.1×10^4) (see Supplementary Figure S1). In parts created with www.biorender.com. Credit: DOI: 10.1093/ve/veac007

More than 70 million people worldwide are infected with hepatitis C. The disease is treatable, but it is often not recognized. In 80% of cases, it takes chronic courses and can lead to liver damage and even liver cancer. So far, there is no effective vaccine. "The reason why the disease often doesn't clear up is that the virus is constantly changing and thus escapes the immune system," explains Dr. Daniel Todt from the RUB Virology Department. "The immune system forms antibodies that always lag behind the virus for a while and have the ability to combat a variant that was in the body about two weeks before." This evolution of the virus within the host is therefore of particular interest to the researchers.

To date, there have been no suitable models to deal with these questions in animal experiments. In their quest for a so-called surrogate model for research into the human <u>hepatitis</u> C <u>virus</u>, the scientists analyzed samples from horses that were taken in cooperation with the University of Veterinary Medicine Hannover (TiHo). "If you compare hepatitis viruses that can infect different species, it is striking that the <u>human virus</u> and the virus that is infectious for horses are genetically close relatives," explains André Gömer, Ph.D. student at the TiHo Research Training Group VIPER and lead author of the paper. The researchers analyzed the surface proteins of viruses from humans and horses in the course of infection and compared the results.

A better understanding of the virus' tactics

"In the horse virus, a region that we call hypervariable is missing," explains Gömer. It changes particularly quickly and protects an area of



the virus that helps it infect host cells. This could be one reason why the infection in horses, unlike in humans, is rarely chronic. "These findings help us to better understand the tactics of the hepatitis C virus and to find out which areas of the virus are the most relevant," says Todt. The equine hepatitis virus infection of horses could represent a powerful model to gain insights into hepaciviral evolution and hepatitis C virus immune evasion.

More information: André Gömer et al, Intra-host analysis of hepaciviral glycoprotein evolution reveals signatures associated with viral persistence and clearance, *Virus Evolution* (2022). <u>DOI:</u> <u>10.1093/ve/veac007</u>

Provided by Ruhr-Universitaet-Bochum

Citation: Equine hepatitis viruses help us understand human hepatitis C (2022, March 2) retrieved 4 July 2024 from <u>https://medicalxpress.com/news/2022-03-equine-hepatitis-viruses-human.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.