

Study finds link between youth incarceration and lifetime suicide risk

May 26 2022



Credit: CC0 Public Domain

A history of incarceration may increase suicide attempts, particularly for women who were incarcerated at a young age, a University at Albany School of Public Health study finds.

Led by Ph.D. student Maggie Smith and published in *Community Mental Health Journal*, it is one of the first population-based studies to examine

the relationship between a history of suicide attempt, age of [incarceration](#) and sex.

The study notes that suicide was the 10th leading cause of death in the United States in 2019, and prior research shows the rate among those with a history of incarceration is significantly elevated in the first year after release. This may be explained both by an increased prevalence of mental health and substance abuse issues compared to the non-incarcerated population and a lack of access to medical and mental health while incarcerated. Newly released people often have difficulty accessing care because of a lack of employment and insurance.

"Much research focuses on current incarceration and those who have been released within a year," said Smith, who is working on her doctorate in Epidemiology. "But life continues on after they hit the one-year mark, and we need to better understand the possible long-term implications of mass incarceration and how we can reduce [suicide attempts](#)."

Smith worked with Tomoko Udo, associate professor in Health Policy, Management and Behavior, to estimate the lifetime prevalence of suicide attempts based on age of incarceration and to break down the results by sex. Data was pulled from the National Survey of Alcohol and Related Conditions III, in which 36,309 adults in the United States completed a computer-assisted face-to-face interview.

Those who had a history of incarceration had a higher likelihood of committing suicide in their lifetimes compared to those who had not been incarcerated, with an even higher likelihood for those who had a juvenile incarceration history. Although women typically reported shorter durations of incarceration than men, the highest likelihood of a suicide attempt was found in women with juvenile incarceration history. In addition, women who were incarcerated as juveniles were more likely

to meet a diagnosis for at least one psychiatric disorder and to report adverse childhood experiences.

"Historically, reentry programs have focused on the needs of men at the time of their release," Smith said. "Criminal activity from women often comes from [drug use](#) after physical or [sexual abuse](#), so it is important that reentry programs adequately address sex-specific needs for [women](#) to help reduce lifetime risk for suicide attempts in this population."

More information: Maggie Smith et al, The Relationship Between Age at Incarceration and Lifetime Suicide Attempt Among a Nationally Representative Sample of U.S. Adults, *Community Mental Health Journal* (2022). [DOI: 10.1007/s10597-022-00952-8](https://doi.org/10.1007/s10597-022-00952-8)

Provided by University at Albany

Citation: Study finds link between youth incarceration and lifetime suicide risk (2022, May 26) retrieved 4 February 2023 from

<https://medicalxpress.com/news/2022-05-link-youth-incarceration-lifetime-suicide.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--