

Scientists warn of links between soil pollution and heart disease

June 30 2022



Credit: CC0 Public Domain

Pesticides and heavy metals in soil may have detrimental effects on the cardiovascular system, according to a review paper published today in *Cardiovascular Research*, a journal of the European Society of Cardiology (ESC).

"Soil contamination is a less visible danger to human health than dirty air," said author Professor Thomas Münzel of the University Medical Center Mainz, Germany. "But evidence is mounting that pollutants in soil may damage cardiovascular health through a number of mechanisms, including [inflammation](#) and disrupting the body's natural clock."

Pollution of air, water and soil is responsible for at least nine million deaths each year. More than 60% of pollution-related disease and death is due to cardiovascular disease such as chronic ischemic heart disease, heart attack, stroke and heart rhythm disorders (arrhythmias).

This paper highlights the relationships between [soil pollution](#) and human health, with a particular focus on cardiovascular disease. Soil pollutants include heavy metals, [pesticides](#), and plastics. The authors state that contaminated soil may lead to cardiovascular disease by increasing oxidative stress in the blood vessels (with more "bad" free radicals and fewer "good" antioxidants), by causing inflammation, and by disturbing the body clock (circadian rhythm).

Dirty soil may enter the body through inhalation of desert dust, fertilizer crystals, or plastic particles. Heavy metals such as cadmium and lead, plastics, and organic toxicants (for example in pesticides) can also be consumed orally. Soil pollutants wash into rivers and create dirty water that may be consumed.

Pesticides have been linked with an elevated risk of cardiovascular disease. While employees in the agricultural and chemical industries face the greatest exposure, the general public may ingest pesticides from contaminated food, soil and water.

Cadmium is a heavy metal that occurs naturally in small amounts in air, water, soil and food, and also comes from industrial and agricultural

sources. Food is the main source of cadmium in non-smokers. The paper states that population studies have shown mixed results on the relationship between cadmium and cardiovascular disease, and cites a Korean study showing that middle-aged Koreans with high blood [cadmium](#) had elevated risks of stroke and hypertension.

Lead is a naturally occurring toxic metal with environmental contamination through mining, smelting, manufacturing and recycling. Studies have found associations between high blood [lead](#) levels and cardiovascular disease, including coronary [heart disease](#), heart attack and stroke, in women and in people with diabetes. Further studies have indicated a higher risk of death from cardiovascular disease associated with exposure to arsenic, a naturally occurring metalloid whose levels can increase due to industrial processes and using contaminated water to irrigate crops.

The paper states, "Although soil pollution with heavy metals and its association with cardiovascular diseases is especially a problem in low- and middle-income countries since their populations are disproportionately exposed to these environmental pollutants, it becomes a problem for any country in the world due to the increasing globalization of food supply chains and uptake of these heavy metals with fruits, vegetables and meat."

The potential hazards of contaminated [airborne dust](#) are noted. Desert dust can travel long distances, and research has shown that particles from soil in China and Mongolia were related to increased odds of heart attacks in Japan. The number of cardiovascular emergency department visits in Japan was 21% higher on days with heavy exposure to Asian dust.

While there are no population studies on the cardiovascular health effects of nano- and microplastics in humans, research has shown that

these particles can reach the bloodstream, making it plausible that they could travel to the organs and cause systemic inflammation and cardiometabolic disease.

Professor Münzel said, "More studies are needed on the combined effect of multiple soil pollutants on cardiovascular disease since we are rarely exposed to one toxic agent alone. Research is urgently required on how nano- and microplastic might initiate and exacerbate cardiovascular disease. Until we know more, it seems sensible to wear a face mask to limit exposure to windblown dust, filter water to remove [contaminants](#), and buy food grown in healthy soil."

More information: Soil and water pollution and human health: what should cardiologists worry about? *Cardiovascular Research* (2022). [DOI: 10.1093/cvr/cvac082](https://doi.org/10.1093/cvr/cvac082)

Provided by European Society of Cardiology

Citation: Scientists warn of links between soil pollution and heart disease (2022, June 30) retrieved 20 July 2023 from <https://medicalxpress.com/news/2022-06-scientists-links-soil-pollution-heart.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--