

Psychological resilience linked to improved walking after hip fracture

July 20 2022



For older adults with hip fracture, higher levels of psychological

resilience are associated with greater walking speed and distance 16 weeks later, according to a study published online July 20 in the *Journal of the American Geriatrics Society*.

Germine Soliman, M.D., from St. Mary's Hospital in Waterbury, Connecticut, and colleagues examined the effects of psychological resilience on observed walking capacity measures in [older adults](#) following [hip fracture](#). Data were included for 210 community-dwelling adults aged 60 years and older who experienced a minimal trauma hip fracture and were randomly assigned to one of two 16-week [physical therapy](#)-guided interventions. The six-item Brief Resilience Scale (BRS) was used to measure psychological resilience at study baseline.

The researchers found that compared with the least resilient BRS group, patients in the most resilient BRS group had increases between baseline and 16 weeks later in mean gait speed in meters/second and [walking distance](#) in meters in the 4-Meter Gait Speed, 50-Foot Walk Test, and 6-Minute Walk Distance (0.06 m/s, 0.11 m/s, and 25.5 m, respectively).

"Findings suggest that psychological resilience should be assessed before starting post hip-fracture rehabilitation, and that interventions to address community-dwelling older adults' psychological resilience should be developed and tested with the aim of improving walking measures following hip fracture, leading to greater capacity for independent living," the authors write.

More information: Germine Soliman et al, Impact of psychological resilience on walking capacity in older adults following hip fracture, *Journal of the American Geriatrics Society* (2022). [DOI: 10.1111/jgs.17930](#)

Copyright © 2022 [HealthDay](#). All rights reserved.

Citation: Psychological resilience linked to improved walking after hip fracture (2022, July 20) retrieved 5 July 2023 from <https://medicalxpress.com/news/2022-07-psychological-resilience-linked-hip-fracture.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.