

Seven healthy lifestyle habits may reduce dementia risk for people with diabetes

September 14 2022



Credit: CC0 Public Domain

A combination of seven healthy lifestyle habits including sleeping seven

to nine hours daily, exercising regularly and having frequent social contact was associated with a lower risk of dementia in people with type 2 diabetes, according to a study published in the September 14, 2022, online issue of *Neurology*.

"Type 2 diabetes is a worldwide epidemic that affects one in 10 adults, and having diabetes is known to increase a person's risk of developing dementia," said study author Yingli Lu, MD, Ph.D., of Shanghai Jiao Tong University School of Medicine in China. "We investigated whether a broad combination of healthy [lifestyle habits](#) could offset that dementia risk and found that people with diabetes who incorporated seven healthy lifestyle habits into their lives had a lower risk of dementia than people with diabetes who did not lead healthy lives."

For the study, researchers looked at a health care database in the United Kingdom and identified 167,946 people 60 or older with and without diabetes who did not have dementia at the start of the study. Participants completed health questionnaires, provided physical measurements and gave blood samples.

For each participant, researchers calculated a healthy lifestyle score of zero to seven, with one point for each of seven healthy habits. Habits included no current smoking, moderate alcohol consumption of up to one drink a day for women and up to two a day for men, regular weekly physical activity of at least 2.5 hours of moderate exercise or 75 minutes of vigorous [exercise](#), and seven to nine hours of sleep daily. Another factor was a [healthy diet](#) including more fruits, vegetables, whole grains and fish and fewer refined grains, processed and unprocessed meats. The final habits were being less sedentary, which was defined as watching television less than four hours a day, and frequent [social contact](#), which was defined as living with others, gathering with friends or family at least once a month and participating in social activities at least once a week or more often.

Researchers followed participants for an average of 12 years. During that time, 4,351 people developed dementia. A total of 4% of the people followed only zero to two of the healthy habits, 11% followed three, 22% followed four, 30% followed five, 24% followed six and 9% followed all seven.

People with diabetes who followed two or fewer of the seven healthy habits were four times more likely to develop dementia than people without diabetes who followed all seven healthy habits. People with diabetes who followed all of the habits were 74% more likely to develop dementia than those without diabetes who followed all the habits.

For people with diabetes who followed all the habits, there were 21 cases of dementia for 7,474 person years or 0.28%. Person-years represent both the number of people in the study and the amount of time each person spent in the study. For people with diabetes who followed only two or fewer habits, there were 72 cases of dementia for 10,380 person years or 0.69%. After adjusting for factors like age, education and ethnicity, people who followed all the habits had a 54% lower risk of dementia than those who followed two or fewer. Each additional healthy habit people followed was associated with an 11% decreased risk of dementia. The association between healthy lifestyle score and [dementia risk](#) was not affected by medications people took or how well they controlled their blood sugar.

"Our research shows that for people with [type 2 diabetes](#), the risk of dementia may be greatly reduced by living a healthier lifestyle," Lu said. "Doctors and other medical professionals who treat people with diabetes should consider recommending lifestyle changes to their patients. Such changes may not only improve overall health, but also contribute to prevention or delayed onset of dementia in people with diabetes."

A limitation of the study was that people reported on their own lifestyle

habits and may not have remembered all details accurately. Lifestyle changes over time were also not captured.

More information: Bin Wang et al, Association of Combined Healthy Lifestyle Factors With Incident Dementia in Patients With Type 2 Diabetes, *Neurology* (2022). DOI: 10.1212/WNL.0000000000201231 , [n.neurology.org/content/early/.../WNL.0000000000201231](https://www.neurology.org/content/early/.../WNL.0000000000201231)

Provided by American Academy of Neurology

Citation: Seven healthy lifestyle habits may reduce dementia risk for people with diabetes (2022, September 14) retrieved 1 May 2023 from <https://medicalxpress.com/news/2022-09-healthy-lifestyle-habits-dementia-people.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.