

Study shows hay fever among school children leads to worse asthma outcomes

September 17 2022



Credit: Pixabay/CC0 Public Domain

A study of school children conducted by University of Rochester Medical Center researchers has found that the majority of children with asthma also reported having allergic rhinitis, or hay fever. Symptoms of

Hay fever include runny nose, sneezing, congestion and sinus pressure, and can contribute to asthma. The study, led by Jessica Stern, M.D., an assistant professor in the department of Pediatrics and division of Pediatric Allergy and Immunology, found that children with both asthma and hay fever had worse asthma outcomes.

This study reviewed data from three trials, led by Jill Halterman, M.D., professor in the department of Pediatrics, of 1,029 Rochester school children with asthma. The primary goal of the trials was to evaluate whether providing children with preventive asthma medications in school would improve their asthma symptoms. While most children participating in these trials had improved asthma symptoms when they received their medications, a subgroup of children did not improve. This prompted the researchers to look at other health concerns that might have prevented the children from having a full treatment response.

"Through our study, we found that many of the children who did not report improved symptoms had allergic rhinitis in addition to asthma, and these children had more [asthma symptoms](#), used their rescue medication more, and missed more school days compared to those without [allergic rhinitis](#)," said Stern.

Importantly, less than half of the children with hay fever were receiving proper treatment for their symptoms, including [nasal sprays](#) and recommended anti-histamines; nor had they been seen by asthma or allergy specialists.

"This is critical because it highlights gaps in care and needed treatments, which may contribute to the disparities in asthma outcomes that we see in children who primarily identify as Black or Latino, or are from low resourced communities," said Stern. "These findings also encourage a focus on contributing environmental factors and the social determinants of health for these children. The burden of allergic disease is often under-

recognized and undertreated in historically marginalized populations, and we have an opportunity and obligation to address this to improve outcomes."

Dr. Stern will be continuing this work to understand the multiple influences in a child's life that impact their asthma.

"We are working to create a comprehensive, multi-disciplinary approach to overcome structural obstacles to equitable care for children with [asthma](#). This will involve collaboration with caregivers and patients to plan systems of care that work for them. We understand that families are the experts, and we have to listen to what they think," said Stern.

Provided by University of Rochester Medical Center

Citation: Study shows hay fever among school children leads to worse asthma outcomes (2022, September 17) retrieved 24 December 2022 from <https://medicalxpress.com/news/2022-09-hay-fever-school-children-worse.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--